

The UK's only
anaesthesia
specialists



ACE
Veterinary Supplies

www.acevetsupplies.co.uk

+44 1491 527027

sales@acevetsupplies.co.uk

Issue 9

Where you can find us

We understand that our clients are busy, so we offer flexible communication options. Please feel free to contact us using your preferred method.



Call us on
01491 527 027



Email us at
sales@acevetsupplies.co.uk



Visit us at
www.acevetsupplies.co.uk

Find us on social media:



AceVeterinarySupplies



Ace_Vet_Supplies



ACE Veterinary Supplies Limited
Dogmore End Lane
Checkendon
Oxfordshire
RG8 0TB

Tel: 01491 527 027
Email: sales@acevetsupplies.co.uk



AceVeterinarySupplies



Ace_Vet_Supplies

Where you can find us

We understand that our clients are busy, so we offer flexible communication options. Please feel free to contact us using your preferred method.



Call us on
01491 527 027



Email us at
sales@acevetsupplies.co.uk



Visit us at
www.acevetsupplies.co.uk

Find us on social media:



AceVeterinarySupplies



Ace_Vet_Supplies

INDEX

- A**
- 12 A G Cuffill
 - 76 Aneroid Sphygmomanometer
 - 57 Arterial Catheters
 - 3 Avian ET Tubes
 - 21 Ayres T Piece
- B**
- 22 Bain Circuit
 - 22 Bain Circuit Long
 - 62 Biopsy Needles
 - 56 Bodok Seals
 - 11 Bougies
 - 33 Breathing Bags
 - 20 Breathing Filters
 - 17 Broncho-Alveolar Lavage Catheter
 - 53 Buster Bag
- C**
- 83 Capnography Lines
 - 27 Circle Absorber, SafeAbsorb
 - 23 Circle Circuits
 - 8 Cleaning Brushes, Endotracheal
 - 42 Connectors - Elbows, Luer
 - 40 Connectors - Straight
 - 41 Connectors - Straight
 - 10 Connectors Endotracheal, Low Dead
 - 43 Connectors T & Y
 - 53 Cradles - Remark
 - 12 Cuff Pressure Manometer
 - 61 Curos Disinfecting Port
 - 56 Cylinder Keys
- D**
- 70 Defibrillator Pads
 - 85 D-Lite Connectors
 - 59 Dog Catheters
 - 51 Dormasface Electric Blanket
 - 81 Ear Thermometer
- E**
- 71 ECG Adapters
 - 74 ECG Cables - Fukuda Densi
 - 72 ECG Cables - GE/Datex
 - 73 ECG Cables - Mindray
 - 74 ECG Cables -Nihon Kohden
 - 71 ECG Clips
 - 71 ECG Gel
 - 69 ECG Pads Ambu
 - 70 ECG Pads Skintact
 - 64 Edan H100B Veterinary Pulse Oximeter
 - 15 Eldridge Facemask
 - 31 EMD Safety Device
 - 17 Endobronchial Blocker
 - 8 Endotracheal Cleaning Bushes
 - 10 Endotracheal Tube Connectors
 - 9 Endotracheal Tube Rack
- E**
- 11 Endotracheal Tube Ties
 - 8 Endotracheal Tubes Magill
 - 4 Endotracheal Tubes PVC Cuffed
 - 5 Endotracheal Tubes PVC Cuffed with Suction
 - 6 Endotracheal Tubes PVC Cuffed, K9
 - 4 Endotracheal Tubes PVC Cuffed, Portex
 - 6 Endotracheal Tubes PVC Cuffed, Reinforced
 - 5 Endotracheal Tubes PVC Cuffed, Ventiseal
 - 3 Endotracheal Tubes PVC Uncuffed
 - 6 Endotracheal Tubes Silicone, Small Animal
 - 7 Endotracheal Tubes Silicone, Large Animal
 - 7 Endotracheal Tubes Silicone, Swine
- F**
- 14 Facemask Diaphragms
 - 15 Facemask, Eldridge
 - 15 Facemask, Oxygen Recovery
 - 14 Facemasks, Anaesthetic
 - 55 Flowmeters, Oxygen
 - 7 Foal Endotracheal Tubes
 - 86 FOB Watches
 - 49 Foil Blankets
 - 58 Foley Catheters
 - 9 Funnel, Replacement, Large Animal ET Tube
 - 27 Funnel, Soda Lime
- G**
- 83 Gas Sample Lines
 - 57 Guide Wires
 - 51 Heated Table
- H**
- 18 HMEF's
 - 19 HME's
 - 48 Hover Heat
 - 52 HUG-U-VAC
 - 55 Humidifier Bottles
- I**
- 78 IBP Transducer Cables
 - 79 IBP Transducer Cables
 - 79 IBP Transducer Kits
 - 86 ICON Oxygen Analyser
 - 56 ICU Cage
 - 39 Induction Chambers
 - 11 Intubation Stylets
 - 27 IPPV Button Valve
 - 60 IV Pressure Bags
- K**
- 57 Jugular Catheters
 - 59 KatKath Catheter
 - 47 Kennel Connector
- L**
- 94 Labels
 - 21 Lack Circuit
 - 35 Laryngoscopes - Conventional
 - 35 Laryngoscopes - Disposable
 - 34 Laryngoscopes - Miller

L	36	Laryngoscopes - MRI
	34	Laryngoscopes - Veterinary Fibre Optic
	59	Little Herbert
	8	LMA's
M	10	Low Dead Space Connectors
	85	Manometer Lines
	60	Mantis IV Hanger
	22	Mini Lack Manifold, Darvall
	22	Mini Lack Tubing
	80	Minitemp
	92	MRI Products
N	13	Mucosal Device
	54	Nasal Cannulas
	54	Nasal Oxygen Catheter
	13	Nasal Tube, Anaesthetic
	44	Nerve Blocks
	77	NIBP Cables
	76	NIPB Accessories
O	75	NIPB Cuffs
	56	O Rings
	86	Oesophageal Stethoscopes
	12	Optilube Tube Lubrication
	86	Oxygen Analyser (ICON)
	86	Oxygen Cell
	55	Oxygen Flowmeters
	54	Oxygen Link Tubing
	54	Oxygen Link Tubing Connector
	15	Oxygen Recovery Facemask
P	55	Oxygen Splitters
	55	Oxygen Tube Nipple
	63	PalmSat VET Pulse Oximeter
	53	Patient Positioning - Buster Bag
	52	Patient Positioning - HUG-U-VAC
	52	Patient Transfer System - Schure Slide
	46	Patient Warming - Mistral Warm Air Heater
	47	Patient Warming Blankets
	48	Patient Warming Blankets - Reusable
	30	PEEP Valves
R	30	Pressure Manometer, In circuit
	90	Purair 80 AGSS Systems
	71	Quadrode MRI ECG Pads
	95	Rainbow Trays
	53	Redmark Cradles
	49	Reflect-A-Therm Table Cover
	44	Regional Anaesthesia
	55	Regulators
	9	Repair Adhesive
	9	Repair Cuffs
S	9	Repair Inflation Lines
	16	Resuscitators
	89	Scavenging APL Valve
	89	Scavenging Charcoal Canisters
	89	Scavenging Connectors

S	90	Scavenging Receivers
	53	Schure Slide Patient Transfer System
	12	Silko Spray
	49	Silver Heat Products
	28	Soda Lime, Spherasorb, IS Can & Drum
	65	SpO2 Sensor Clips
	68	SpO2 Sensors - Fukuda Denshi
	67	SpO2 Sensors - GE/Datex
	68	SpO2 Sensors - Masimo
	66	SpO2 Sensors - Mindray
	66	SpO2 Sensors - Nellcor
	67	SpO2 Sensors - Nonin
	65	SpO2 Sensors - Surgivet
	68	SpO2 Sensors - Viamed
	76	Sphygmomanometer
	85	Spirometry Sets
	86	Stethoscopes, Oesophageal
	87	Suction Catheters
	88	Suction Controller
	88	Suction Filter, Eschmann
T	87	Suction Jars
	88	Suction Pump, Manual
	87	Suction Tubing
	7	Swine Endotracheal Tubes
	94	Syringe Labels
	21	T Piece, Vetronics Tiny
	82	Temperature Probes
	50	Thermal Mattresses
	50	Thermal Mattresses - MRI
	81	Thermometer, Ear
	81	Thermometers
	61	Three Way Connector, BD
	37	Tracheostomy
	38	Tracheostomy
	32	Tube Management
	55	Tube Nipple
	11	Tube Ties, Endotracheal
	58	Urinary Catheters
	91	Vaporiser Easy Fillers
	91	Vaporiser Key Fillers
V	91	Vaporiser 'O' Rings
	91	Vaporiser Pour Fillers
	16	Venturi Valves
	84	Water Traps
	25	Y Circuit Smooth Bore
	24	Y Circuit with Water Trap
	24	Y Circuit, Compact (3 metres)
	26	Y Circuit, Darvall
	88	Yankauer Handles
	29	Zero Dead Space Mask

Y

Avian/Cole Tubes, Silicone

- Sterile
- Radiopaque
- Accepts 15mm Adapter

Also referred to as the 'Cole' Endotracheal Tube, with lower profile on the distal end to aid proper placement and larger proximal end helps form a tighter seal. Stepped down 'Cole' style wall. Complete with standard 15mm connection.

"We find that these tubes meet our needs perfectly, providing both flexibility and rigidity"

Matthew Rendle RVN



Code	Description
ATS010	1.0mm x 12cm with Guide Wire
ATS015	1.5mm x 12cm with Guide Wire
ATS2013	2.0mm ID x 5.0mm x 13cm
ATS2513	2.5mm ID x 6.3mm x 13cm
ATS3015	3.0mm ID x 8.0mm x 15cm
ATS3515	3.5mm ID x 8.6mm x 15cm
ATS4015	4.0mm ID x 9.6mm x 15cm
ATS5018	5.0mm ID x 12.6mm x 18cm
ATS6018	6.0mm ID x 15.1mm x 18cm

Endotracheal Tubes Uncuffed, PVC

Available individually or in boxes of 10

- Soft Medical Grade PVC
- Transparent for easy observation
- Clearly Marked Guidelines & Depth Markings
- Radiopaque positional guideline
- Murphy Eye

These ET Tubes are available up to 10mm upon request. Maybe subject to minimum quantity of 10.



Single Code	Size	Box Quantity	Box Code
ETUP020	2.0mm	10	ETUP020/10
ETUP025	2.5mm	10	ETUP025/10
ETUP030	3.0mm	10	ETUP030/10
ETUP035	3.5mm	10	ETUP035/10
ETUP040	4.0mm	10	ETUP040/10
ETUP045	4.5mm	10	ETUP045/10
ETUP050	5.0mm	10	ETUP050/10
ETUP055	5.5mm	10	ETUP055/10
ETUP060	6.0mm	10	ETUP060/10
ETUP065	6.5mm	10	ETUP065/10
ETUP070	7.0mm	10	ETUP070/10

01491 527027

Endotracheal Tubes Cuffed, PVC

Available in singles or in boxes of 10

Code	Size	Box Quantity	Box Code
ETCP025	2.5mm	10	ETCP025/10
ETCP030	3.0mm	10	ETCP030/10
ETCP035	3.5mm	10	ETCP035/10
ETCP040	4.0mm	10	ETCP040/10
ETCP045	4.5mm	10	ETCP045/10
ETCP050	5.0mm	10	ETCP050/10
ETCP055	5.5mm	10	ETCP055/10
ETCP060	6.0mm	10	ETCP060/10
ETCP065	6.5mm	10	ETCP065/10
ETCP070	7.0mm	10	ETCP070/10
ETCP075	7.5mm	10	ETCP075/10
ETCP080	8.0mm	10	ETCP080/10
ETCP085	8.5mm	10	ETCP085/10
ETCP090	9.0mm	10	ETCP090/10
ETCP095	9.5mm	10	ETCP095/10
ETCP100	10.0mm	10	ETCP100/10
ETCP10533	10.5mm x 33cm	10	ETCP10533/10
ETCP1133	11.0mm x 33cm	10	ETCP1133/10

- Soft Medical Grade PVC
- Transparent for easy observation
- Clearly Marked Guidelines & Depth Markings
- Low Inflation Line for Easy Length Reduction
- Radiopaque positional guideline
- Murphy Eye
- Soft Cuff Wall only 8 Microns Thickness



Endotracheal Tubes Cuffed, Portex

Available in singles or in boxes of 10

Code	Size	Box Quantity	Box Code
ETCPP050	5.0mm	10	ETCPP050/10
ETCPP055	5.5mm	10	ETCPP055/10
ETCPP060	6.0mm	10	ETCPP060/10
ETCPP065	6.5mm	10	ETCPP065/10
ETCPP070	7.0mm	10	ETCPP070/10
ETCPP075	7.5mm	10	ETCPP075/10
ETCPP080	8.0mm	10	ETCPP080/10
ETCPP085	8.5mm	10	ETCPP085/10
ETCPP090	9.0mm	10	ETCPP090/10
ETCPP095	9.5mm	10	ETCPP095/10



01491 527027


Endotracheal Tubes Ventiseal™ Cuffed, PVC

Available individually or in boxes of 10

Code	Size	Box Quantity	Box Code
ETCPV025	2.5mm	10	ETCPV025/10
ETCPV030	3.0mm	10	ETCPV030/10
ETCPV035	3.5mm	10	ETCPV035/10
ETCPV040	4.0mm	10	ETCPV040/10
ETCPV045	4.5mm	10	ETCPV045/10
ETCPV050	5.0mm	10	ETCPV050/10
ETCPV055	5.5mm	10	ETCPV055/10
ETCPV060	6.0mm	10	ETCPV060/10
ETCPV065	6.5mm	10	ETCPV065/10
ETCPV070	7.0mm	10	ETCPV070/10
ETCPV075	7.5mm	10	ETCPV075/10
ETCPV080	8.0mm	10	ETCPV080/10
ETCPV085	8.5mm	10	ETCPV085/10
ETCPV090	9.0mm	10	ETCPV090/10
ETCPV095	9.5mm	10	ETCPV095/10
ETCPV100	10.0mm	10	ETCPV100/10
ETCPV105	10.5mm	10	ETCPV105/10
ETCPV110	11.0mm	10	ETCPV110/10

An optimal volume cuff with ideal pressure distribution and effective sealing. The thin ultra-smooth cuff wall reduces abrasive creases and folds, conforms to the tracheal contours and provides an effective seal.

Ensures tube patency for patient safety, whilst softening at body temperature to conform to the patient's respiratory tract.



Endotracheal Tubes Cuffed, with Suction Lumen

Available individually or in boxes of 10

Code	Size	Box Quantity	Box Code
ETCPS060	6.0mm	10	ETCPS060/10
ETCPS065	6.5mm	10	ETCPS065/10
ETCPS070	7.0mm	10	ETCPS070/10
ETCPS075	7.5mm	10	ETCPS075/10
ETCPS080	8.0mm	10	ETCPS080/10
ETCPS085	8.5mm	10	ETCPS085/10
ETCPS090	9.0mm	10	ETCPS090/10

- Soft & Flexible Thermosensitive Medical Grade PVC
- Designed with an Evacuation Lumen
- Clearly Marked Guidelines & Depth Markings
- Supplied in Individual Sterile Sachets
- Radiopaque positional guideline
- Murphy Eye



01491 527027

Endotracheal Tubes Cuffed, PVC. Larger Sizes

Code	Size
ETCPK912	12.0mm (Curved)
ETCPK913	13.0mm (Curved)
ETCP14	14.0mm (Straight)



Endotracheal Tubes Cuffed, Reinforced PVC

Available individually or in box quantities

Code	Size	Box Quantity	Code	Code	Size	Box Quantity	Code
ETRCP030	3.0mm	5	ETRCP030/5	ETRCP070	7.0mm	5	ETRCP070/5
ETRCP035	3.5mm	5	ETRCP035/5	ETRCP075	7.5mm	5	ETRCP075/5
ETRCP040	4.0mm	5	ETRCP040/5	ETRCP080	8.0mm	5	ETRCP080/5
ETRCP045	4.5mm	5	ETRCP045/5	ETRCP085	8.5mm	5	ETRCP085/5
ETRCP050	5.0mm	5	ETRCP050/5	ETRCP090	9.0mm	5	ETRCP090/5
ETRCP055	5.5mm	5	ETRCP055/5	ETRCP095	9.5mm	10	ETRCP095/10
ETRCP060	6.0mm	5	ETRCP060/5	ETRCP100	10.0mm	10	ETRCP100/10
ETRCP065	6.5mm	5	ETRCP065/5				



These resemble standard endotracheal tubes, but also contain a spiral of metal in the tube wall. This is particularly useful where kinking of the tube may occur perhaps during dental work or eye surgery.

Sizes 3mm — 9.0mm are supplied with an intubation stylet

Endotracheal Tubes Silicone, Cuffed

Small Animal

Code	Size ID	Code	Size ID
ETCS030	3.0mm	ETCS090	9.0mm
ETCS040	4.0mm	ETCS100	10.0mm
ETCS050	5.0mm	ETCS110	11.0mm
ETCS060	6.0mm	ETCS120	12.0mm
ETCS070	7.0mm	ETCS140	14.0mm
ETCS080	8.0mm		

- High Quality Silicone
- Soft and Flexible
- Minimal Discomfort to the Animal
- Fully Transparent



01491 527027

Endotracheal Tubes Silicone, Foal

- Tubes up to 12 mm have a 15 mm airway adapter fitting
- Silicone funnel is supplied on the 14 mm tube size
- Repair balloon cuffs available
- Replacement inflation lines available
- Autoclavable
- Radiopaque
- Non-sterile
- 55 cm or 22-inches long

Code	Size ID	Length
FN7	7.0mm	55cm
FN8	8.0mm	55cm
FN9	9.0mm	55cm
FN10	10.0mm	55cm
FN11	11.0mm	55cm
FN12	12.0mm	55cm
FN14	14.0mm	55cm



Endotracheal Tube, Silicone Swine Extra Long 8mm

Code	Size
ETCSS080	8.0mm ID x 47cm

Especially designed with the co-operation of leading research centres for use in swine. Silicone. Graduated markings with standard adaptor, inflatable cuff, radio-paque, and lateral Murphy eye, extra long length 8mm I.D. x 47cm.

Endotracheal Tubes Silicone, Large Animal

Code	Size	Code	Size
ETCSE14	14.0mm ID, 19mm OD x 57cm	ETCSE24	24.0mm ID, 32mm OD x 90cm
ETCSE16	16.0mm ID, 22mm OD x 70cm	ETCSE26	26.0mm ID, 35mm OD x 100cm
ETCSE18	18.0mm ID, 24mm OD x 75cm	ETCSE28	28.0mm ID, 39mm OD x 100cm
ETCSE20	20.0mm ID, 26.5mm OD x 90cm	ETCSE30	30.0mm ID, 42mm OD x 100cm
ETCSE22	22.0mm ID, 30mm OD x 90cm		

Universal fitting allows connection to most large animal anaesthesia machines and ventilators



01491 527027

Endotracheal Tubes, Magill Cuffed

Code	Size	Code	Size
ETCM12036	12.0mm x 36cm	ETCM14036	14.0mm x 36cm
ETCM12048	12.0mm x 48cm	ETCM14048	14.0mm x 48cm
ETCM13036	13.0mm x 36cm	ETCM16036	16.0mm x 36cm
ETCM13048	13.0mm x 48cm	ETCM16048	16.0mm x 48cm

Other sizes and uncuffed, are available on request.



For ET Tube Connectors see Page 10

LMA's



Code	Size	Code	Size
LMA010	Size 1	LMA030	Size 3
LMA015	Size 1.5	LMA040	Size 4
LMA020	Size 2	LMA050	Size 5
LMA025	Size 2.5		


Silicone & Reinforced LMA's are available on request.

Please ask for details and prices.

Endotracheal Tube Cleaning Brushes

Large Equine

Code	Size
ETCBEOLA	Large Equine



Small Animal

Code	Size
ETCBLAR	Large
ETCBMED	Medium
ETCBSML	Small



01491 527027

Silicone Endotracheal Tube Repair

Repair Cuffs

Code	Size	Code	Size
RC160	16mm	RC240	24mm
RC180	18mm	RC260	26mm
RC200	20mm	RC280	28mm
RC220	22mm	RC300	30mm



Repair Cuff Adhesive

Code	Description
RCADH	Repair Cuff Adhesive 82.8ml (85gm)

Repair Inflation Lines

Code	Size
RILL	For ET Tube sizes 16mm—30mm
RILS	For ET Tube sizes 3mm—14mm



Replacement Funnel

Code	Description
ETFC32364B1	Large Animal Replacement Blue Funnel Connector



ET Tube Rack

Code	Description
ETTR	Endotracheal Tube Rack

Acrylic rack for mounting 3 x 3.0mm—14mm ET Tubes
Horizontal to aid drainage. 66cm long.



01491 527027

Endotracheal Tube Connectors

Small Animal

Code	Size	Code	Size	Code	Size
ETTC025	2.5mm	ETTC055	5.5mm	ETTC085	8.5mm
ETTC030	3.0mm	ETTC060	6.0mm	ETTC090	9.0mm
ETTC035	3.5mm	ETTC065	6.5mm	ETTC095	9.5mm
ETTC040	4.0mm	ETTC070	7.0mm	ETTC100	10.0mm
ETTC045	4.5mm	ETTC075	7.5mm	ETTC105	10.5mm
ETTC050	5.0mm	ETTC080	8.0mm	ETTC110	11.0mm



Large Animal

Code	Size	Code	Size
ETTC120	12.0mm Metal	ETTC120P	12.0mm Plastic
ETTC130	13.0mm Metal	ETTC130P	13.0mm Plastic
ETTC140	14.0mm Metal	ETTC140P	14.0mm Plastic
ETTC160	16.0mm Metal		



Low Dead Space & with Side Port

Code	Size	Code	Size
ETTCLD025	2.5mm Low Dead Space	ETTCSP040	4.0mm with Side Port
ETTCLD030	3.0mm Low Dead Space	ETTCSP045	4.5mm with Side Port
ETTCLD035	3.5mm Low Dead Space	ETTCSP050	5.0mm with Side Port
ETTCLD040	4.0mm Low Dead Space	ETTCSP080	8.0mm with Side Port
ETTCLD050	5.0mm Low Dead Space	ETTCSP090	9.0mm with Side Port



Connectors with Side Port

Code	Size
SSA2215	Side Stream Adapter 22/15mm Female with Sample Port



Large Equine

Code	Size	Code	Size
ETTC180	18.0mm	ETTC300	30.0mm
ETTC200	20.0mm	ETTC350	35.0mm
ETTC250	25.0mm	ETTC400	40.0mm



These connectors allow the attachment of the large animal Endotracheal Tube to a small animal anaesthetic circuit.

01491 527027

ET Tube Ties

Code	Description
ETTT50	ET Tube Ties. Pack of 50




Intubation Aids

Stylets

Available individually or in quantity boxes

Code	Size	Box Qty	Box Code
IS6	6Fr, 26cm	20	IS6/20
IS10	10Fr, 33cm	20	IS10/20
IS14	14Fr, 33cm	20	IS14/20
IS15	15Fr, 70cm	10	IS15/20



- Malleable aluminium with a low friction plastic sheath to aid insertion of ET Tubes.
- Fully rounded atraumatic tip to minimum risk of patient trauma
- Sterile and individually packed.

Bougies


For directional control during routine or difficult endotracheal intubation when the laryngeal inlet cannot be completely seen.

Vented

Code	Size
IBV10	10Fr, 70cm
IBV15	15Fr, 70cm

Standard

Code	Size
IB06	6Fr, 53.3 cm
IB10	10Fr, 70cm
IB15	15Fr, 70cm



Code	Size
IBH800	Bougie Holder

Holds 4 x 700/800mm Bougies. Supplied Empty

01491 527027

12 Airway Management

Endotracheal Tube Lubrication

Optilube Lubricating Jelly



Code	Description
OPTL5150	150 x 5G Sachets

Silko Spray 500ml

Code	Description
SILSP500	Rusch Silko Spray 500ml



Cuff Pressure Management

AG Cuffill

Code	Description
AGCCP	AG Cuffill Device



Allows measuring and reading the exact cuff pressure without losing pressure during connection. Easy to use as the operation of the device is similar to the existing practice of filling the cuff with a syringe. Provides indication of cuff pressure & volume. Can be used approximately 100 times.

Cuff Pressure Manometer

Code	Description
CICPM	Cuff Pressure Manometer 0—120cm H2O
CICPM-P	Cuff Pressure Manometer 0—60cm H2O
CICPM-SA2	Replacement 1 metre extension tube

Manual cuff pressure gauge for inflating and controlling tracheal tubes with high volume low pressure cuffs. For continued cuff pressure monitoring, the device can be connected to the tracheal tube by means of a 1m extension tube.



01491 527027

Surgivet Post Anaesthetic Nasal Tube

Code Description

ENAT14 Nasal Tube 14.0mm ID x 19mm OD x 46cm

- A proximal silicone funnel fitting to avoid tube migration
- Autoclavable
- Non-sterile
- Radiopaque



Intersurgical Intranasal Mucosal Device



Medication can be quickly and painlessly delivered with the DART Intranasal mucosal atomisation device. Atomised medication delivery results in therapeutic onset delivery similar to intravenous delivery. There is no specialised training required for a system wide adoption. The delivery method is painless for the patient, helping them remain calm in a high stress situation.



Code Description

DART140 DART™ intranasal atomisation device with 3ml syringe and vial adapter.

DART300 DART300™ intranasal atomisation device without syringe

Laryngo-tracheal Mucosal Atomisation Device

Medication can be quickly and effectively delivered for difficult airways with the DART-Reach. The device has a flexible stylet, allowing for a customised approach and can be used in a variety of procedures, for example awake intubations, transoesophageal echocardiograms, or difficult airways.

Code Description

REACH700 DART-Reach™ Atomisation Device, 218mm

REACH720 DART-Reach™ Atomisation Device, 117mm



01491 527027

Anaesthetic Facemasks

Code	Size
AFMXXS50	XX Small 50mm dia
AFMXS60	X Small 60mm dia
AFMS65	Small 65mm dia
AFMM90	Medium 90mm dia
AFML110	Large 110mm dia
AFMXL140	X Large 140mm dia

Made of clear plastic, with black rubber diaphragm.
No latex. Supplied with elastic neck strap (except 50mm & 60mm) for better fixation of the mask. 15 mm connection piece fits inner patient hose.



The connectors below will fit your anaesthetic facemask if the one you have gets lost or broken...

INT1943 Straight connector
15M - 22M



INT1997 Fixed elbow 15M-22M/15F



Use INT1968 to connect Oxygen
Bubble Tubing

INT1968 Tube Connector 22M with 6mm Oxygen
Stem



INT1897 Fixed elbow 15M-22M/15F
with Double Swivel



Diaphragms

Replacement Diaphragms for Anaesthetic Facemasks

Code	Size
DIAXXS50	XX Small 50mm dia
DIAXS60	X Small 60mm dia
DIAS65	Small 65mm dia
DIAM90	Medium 90mm dia
DIAL110	Large 110mm dia
DIAXL140	X Large 140mm dia



01491 527027

Eldridge Anaesthetic Facemasks

The Eldridge Anaesthesia Mask addresses a common problem. A standard round mask wants to roll away from patient on a flat table. Towels are often used to brace the mask into position. The Eldridge mask is flat on one side to prevent this "rolling" and safely keep the mask in position. Patent pending.

- Used to induce gas anaesthesia and sometimes maintain anaesthesia in patients
- Provides oxygen therapy in patients with severe respiratory distress



Code	Size
ELDFM-SML	Small, OD 3.5", Depth, 3", Opening 1"
ELDFM-LAR	Large, 5" OD 5", Depth, 4.75", Opening 1.75"
ELDFM-XLA	Extra Large, OD 6", Depth, 5.75", Opening 3"
ELDFM-SET3	Set of 3 Small, Large, X Large

Eldridge Diaphragms

Code	Size
ELDIA-SML	Small, OD 3.5", Opening 1"
ELDIA-LAR	Large, 5" OD 5", Opening 1.75"
ELDIA-XLA	Extra Large, OD 6", Opening 3"

Oxygen Recovery Masks

Code	Size
ORM-SML	Oxygen Recovery Mask — Small
ORM-LAR	Oxygen Recovery Mask — Large
ORM-FEL	Oxygen Recovery Mask — Feline
ORM-PUP	Oxygen Recovery Mask — Puppy/Kitten
ORM-RAP	Oxygen Recovery Mask - Raptor



- Facilitate post-surgery, post-trauma and post smoke inhalation patient recovery
- Mask body is manufactured from durable polycarbonate
- Diaphragm is made from tear-resistant thermoplastic material and is inert with polycarbonate for longer life
- Mask features dual vents, not valves, to ensure unrestricted inhalation and exhalation to prevent unforeseen reduction or increase in oxygen flow
- Includes a rubber-mounted 22mm oxygen adapter and 7ft of oxygen tubing
- Designed to be used with oxygen tanks
- Optional hook and strap sets available to secure the mask
- Used by fire departments around the world
- Easily cleaned in 1:20 solution of bleach and water.
- 2 year warranty against manufacturer defects

01491 527027

Venturi Valves

Code	Size
OX146	Venturi Valve Kit comprising of 24%, 28%, 31%, 35%, 40% and 60%



Resuscitators

Semi-Disposable

Code	Size
RES0280	280ml
RES0600	600ml
RES1000	1000ml
RES1650	1650ml



Autoclavable

The Reusable Resus Bag is manufactured from high quality materials that can be autoclaved up to 50 cycles.

Code	Size
RES0280A	Small PLV 40cm H ₂ O
RES0500A	Medium PLV 40cm H ₂ O
RES1500A	Large PLV 60cm H ₂ O



Foal/Calf

Code	Description
RES-FOAL	Foal/Calf Resuscitator

- Performance-tested Resuscitator
- Aspirator Mask
- Resuscitator Mask
- Carrying Case
- Instructions
- 2 year warranty



01491 527027

Broncho-Alveolar Lavage Catheter (Silicone)

- The distal balloon can be inflated to prevent retrograde fluid flow
- The proximal two-way fitting allows simultaneous connection for both irrigation and aspiration
- Repair balloon cuffs and silicone adhesive are available
- Replacement inflation lines are available
- Autoclavable
- Sterile

Code	Tube ID	Tube OD	Length
BAL240	3.0mm	11mm	240cm
BAL300	3.0mm	11mm	300cm



Endobronchial Blocker

- Can be inserted down a tracheal tube after tracheal intubation to block the right or left main bronchus for a controlled one lung ventilation. The lung tissue distal to the obstruction will collapse, allowing the surgeon's view and access to the relevant structures within the thoracic cavity
- Achieves lung separation and one lung ventilation as an alternative to double lumen tubes
- Manufactured from transparent medical grade PVC allowing clinicians to visualise any blockage quickly
- Atraumatic tip with double offset eye to provide relief if the distal hole becomes occluded for easy insertion
- Smooth surface for easy insertion
- Supplied sterile in easy access sachets

Code	Description
EBO7FR	Endobronchial Blocker 07FR
EBO9FR	Endobronchial Blocker 09FR



01491 527027

18 Breathing Filters, HMEs & HMEFs

HMEFs

Heat and Moisture Exchanging Filters (HMEFs) combines the efficiency of dedicated breathing filters with optimum moisture return



Intersurgical Clear-Therm™

Available individually or in box quantities

Single Code Box Qty Box Code

HME1441	20	HME1441/20
HME1831	40	HME1831/40
HME1541	150	HME1541/150



HME1441 (Micro)

Dead Space 11ml

Capnograph Port

Connectors 15M/15F

Box Quantity 20

HME1831 (Midi)

Dead Space 26ml

Capnograph Port

Connectors 22F/15M-22M/15F

Box Quantity 40

HME1541

Dead Space 59ml

Capnograph Port

Connectors 22F/15M-22M/15F

Box Quantity 150

GE Healthcare HMEF with Luer Port

Available individually or in box quantities

Code Box Qty Box Code

HME2106570-010	50	HME2106570-010/50
HME2106570-009	50	HME2106570-009/50



HME2106570-009
(Medium)

Dead Space 25ml

Capnograph Port

Connectors 22F/15M-22M/15F

Box Quantity 50

HME2106570-010 (Large)

Dead Space 66ml

Capnograph Port

Connectors 22F/15M-22M/15F

Box Quantity 50



01491 527027

HME



Heat and moisture exchangers (HMEs) designed to replicate the functions of the body's upper airway by conserving expired heat and moisture and returning these to the patient during inhalation.

Intersurgical Hydro-Therm™

Available individually or in box quantities.



HME1442

Dead Space 2.2ml

Connectors 15M/15F

Box Quantity 30

Can be used with ET Tube connectors with Capnograph Connector



HME1560

Dead Space 59ml

Capnograph Port

Connectors 15M-22M/15F

Box Quantity 150

Code	Box Qty	Box Code
HME1442	30	HME1442/30
HME1855	20	HME1855/20
HME1560	150	HME1560/150



HME1855

Dead Space 20ml

Capnograph Port

Connectors 15M-22M/15F

Box Quantity 20

Hydro-Trach T HME Filter

Available individually or in box quantities

A heat, moisture exchanger designed for use on tracheostomised patients. The Hydro-Trach is an ideal product for prolonged use with spontaneously breathing patients.

Code	Box Qty	Box Code
INT1875	25	INT1875/25

INT1875

Compressible Volume 19ml

Weight 8g

Box Quantity 25



01491 527027

Breathing Filters



All available individually or in box quantities.

Intersurgical Inter-Guard™

The Inter-Guard™ range of sterile breathing filters is designed for use in breathing systems in the operating theatre for the protection of the patient, breathing system and equipment.



BF1344

Dead Space 42ml

Capnograph Port

Connectors 22F/15M-22M/15F

Intersurgical Filta-Guard™

The high-efficiency Filta-Guard™ is a dedicated breathing filter designed for use in breathing systems in anaesthesia for the protection of the patient, hospital personnel and the equipment from potential microbial contamination.



BF1944

Dead Space 67ml

Capnograph Port

Connectors 22F-22M/15F

Box Quantity 70

Intersurgical Air-Guard

For use in respiratory systems and oxygen concentrators

Air-Guard™ is a hydrophobic pleated membrane filter for the protection of oxygen concentrators and other respiratory equipment.

Providing an excellent level (>99.999%) of protection against bacterial and viral challenges, the Air-Guard's product performance has been tested, validated and verified at independent microbiological laboratories.

The Air-Guard pleated mechanical filter is validated for 24 hours use but this can be extended when used in non-humidified gas flow.

Please note: this product is contraindicated for use at the patient connection end of the breathing system.



BF1790

Volume 120ml

Connectors 22F-22M/15F

Box Quantity 50

Single Code	Box Qty	Box Code
BF1344	50	BF1344/50
BF1944	70	BF1944/70
BF1790	50	BF1790/50

01491 527027

Ayres T Piece

Available individually or in box quantities



Single Code	Description	Box Qty	Box Code
INT2122	Ayres T Piece with APL Valve & 0.5 litre bag	15	INT2122/15
INT2811	1.0 litre breathing bag with 15mm Neck to Fit Ayres T piece	10	INT2811/10
INT2805	Replacement 0.5 litre breathing bag	10	INT2805/10
INT1661	Replacement End Connector - Intersurgical Straight Connector 15M/11.5-10M	35	INT1661/35



To extend your Ayres T Piece you will need....

Code	Description
INT1576	15mm Corrugated Tubing cut to the required length. Cuffed at 400mm.
INT1962	Connector 15F—22M (for patient limb)
INT1945	Connector 15M-15M (for bag limb)

INT1945



INT1962




Vetronic Tiny T Piece

Code	Description
VTP	Vetronic Ultra-low dead-space T-piece circuit for use with patients 500g or less



Lack Circuit (Mapleson A)

Available individually or in boxes of 10



Single Code	Description	Box Qty	Box Code
CIRPL1622I	Parallel Lack System 1.8M with APL and 2 litre bag 22mm tubing — Intersurgical	10	CIRPL1622I/10


01491 527027

Bain Circuit (Mapleson D)



Available individually or in box quantities

The Bain circuit is a modification of the Mapleson D system. It is a co-axial system in which the fresh gas flows through a narrow inner tube within the outer corrugated tubing.



Single Code	Description	Box Qty	Box Code
BAIN2115	Bain 22mm x 1.6m (Intersurgical)	30	BAIN2115/30
BAIN28	Bain 22mm x 2.8m (Intersurgical)	10	BAIN28/10
BAIN54	Bain 22mm x 5.4m (Intersurgical)	5	BAIN54/5

Mini Lack Tubing

Code	Description
CIRMLC16	Smooth Bore, Mini Lack Y Circuit 1.6m with Y piece (does not include manifold).
CIRMLC16C	Corrugated, Mini Lack Y Circuit 1.6m with Y piece (does not include manifold).



Darvall Mini Lack Manifold



Single Code	Description
MLACK	Darvall Lack Manifold

Incorporating Darvall's new Minimum Dead Space Y-piece (virtually half the dead space of standard Y-piece)
 Controllable anaesthetic exhaust with linear set control valve - to allow precise control of the anaesthetic bag
 Smooth Wall Tubing
 Low volume, low resistance
 Perfect choice for tiny patients



01491 527027


Corrugated Circle ('Y') Circuits



22mm Diameter

Available individually or in box quantities for certain items

Intersurgical Flextube breathing system consisting of 2 limbs 22mm diameter, Y-piece, and safety cap. Also contains a 22M straight connector to convert the machine port from 22F to 22M. These circuits can be made to a length of your choice — 3.2 metres and 6 metres already available but please contact our sales office if you need a different length.




Single Code	Description	Box Qty	Box Code
CIR2216	Circle Circuit 22mm x 1.6m (2000)	20	CIR2216/20
CIR2224	Circle Circuit 22mm x 2.4m (2001)	15	CIR2225/15
CIR2232	Circle Circuit 22mm x 3.2m		
CIR2260	Circle Circuit 22mm x 6.0m		

15mm Diameter

Available individually or in box quantities for certain items

Intersurgical Flextube breathing systems use 15mm tube to reduce circuit volume, especially important when using on the smaller patients. These circuits can be made to a length of your choice — the lengths we currently make are listed below but please contact our sales office if you need a different length.



Single Code	Description	Box Qty	Box Code
CIR1516	Circle Circuit 15mm x 1.6m (2142)	10	CIR1516/10
CIR1520	Circle Circuit 15mm x 2.0m		
CIR1524	Circle Circuit 15mm x 2.4m		
CIR1532	Circle Circuit 15mm x 3.2m		
CIR1560	Circle Circuit 15mm x 6.0m		


01491 527027

24 Breathing Circuits

Flextube 'Y' Circuit with Water Trap



Available individually or in boxes of 10



Single Code	Description	Box Qty	Code
CIR2143	15mm Flextube anaesthetic breathing system with luer elbow and resealable water trap, 1.6m	10	CIR2143/10

Intersurgical Compact™ 'Y' Circuits

Features and Benefits include:



Optimum compression - the unique tube design results in a system which can be compressed to almost one fifth of its extended length.

Lower resistance to flow - the Compact tube is designed with a shallow profile resulting in more laminar gas flow and lower resistance to flow.

Lightweight system - the Compact system is lighter than other extendable systems ensuring that the 'pull' on the patient's airway device is kept to a minimum.

Adjustable length - the Compact system is packed and supplied in the shortest length. This can be simply extended to the length required for clinical use (with the advantage of reduced compressible volume), and compressed for easy disposal. The unique tube has been designed so that it will expand to between four to five times it's packed length, providing the most adjustable system available.

Single Code	Description	Box Qty	Box Code
CIR2158	Circle Circuit 22mm x 3.0m Adjustable	40	CIR2158/40
CIR2163	Circle Circuit 15mm x 3.0m Adjustable	40	CIR2163/40



Catheter Mounts

Available individually or in box quantities.

The Superset range of catheter mounts have a concertina design to allow for positioning control. This allows the catheter mount to be set in any required position.



Code	Description	Box Qty	Box Code
INT3514	22/F—22M/15F with Elbow and Luer Lock Port	75	INT3514/75
INT3512	22/F—22M/15F Swivel	75	INT3512/75
INT3505	22/F—22M/15F Swivel with Flip Top Cap	50	INT3505/50
INT3535	15/M - 7.6 port -15/F 46-100mm Catheter Mount paediatric/neonatal	15	INT3535/15

01491 527027

Make your own Y Circuit to the length you want.....

Should you need a longer Y Circuit we can provide all the parts you need to assemble your own. These include the correct connectors to attach to your Circle System and the Y Connector for the patient end. The 15mm parts list includes a paediatric Y piece to reduce Dead Space. In both sizes the length must be in multiples of 400mm.

To make a 15mm Circuit you will need...



INT1576



INT1902

Code	Description
INT1576	15mm Corrugated Tubing cut to the required length. Cuffed at 400mm. Price per Cuffed Length
INT1962	Connector 15F—22M. 2 required per Circuit
INT1902	15mm Y-piece 15F patient connection - 15M-15M

To make a 22mm Circuit you will need...



INT1574



INT1926

Code	Description
INT1574	22mm Corrugated Tubing cut to the required length. Cuffed at 400m. Price per Cuffed Length
INT1961	Connector 22F—22M. 2 required per Circuit
INT1926	Parallel Y Piece 22MM

Optional...



Code	Description
INT1978	Safety Cap (Only fits 22mm Y Piece)

Corrugated Tubing


Available per 400mm lengths or in a box of 50 metres.

Code per 400mm	Description	Box Qty	Code
INT1574	22mm Corrugated Tubing cut to the required length. Cuffed at 400m. Price per Cuffed Length	50M (125 cuffed lengths)	INT1574-50M
INT1576	15mm Corrugated Tubing cut to the required length. Cuffed at 400mm. Price per Cuffed Length	50M (125 cuffed lengths)	INT1576-50M



Smooth Bore Circle Circuits & Tubing

Code	Description
CIRSBC15	Smooth Bore Y Circuit 15mm x 1.8m
CIRSBC22	Smooth Bore Y Circuit 22mm x 1.8m
CIRSBC1530	Smooth Bore Y Circuit 15mm x 3.0m
CIRCSBT1530	Smooth Bore Tube 15mm x 3m with 22F end connections
CIR5024	Intersurgical Smooth Bore Y Circuit 15mm x 2.4m



01491 527027

Darvall Smooth Wall Circle Circuits



Darvall Smooth Wall Tubing (SWT) Circuits use low resistance, low volume, small diameter tubes. This new concept in circuit design offers HUGE efficiency advantages for the patient as well as for your practice.

Features & Benefits:

- Easy to use
- Fits all standard anaesthetic gas machines
- Smooth Wall Tubing (SWT) Circuits reduce circuit resistance
- Reduced resistance means they can be used for smaller patients
- Smaller diameter tubing reduces circuit volume by up to 75%
- Reduced circuit volume improves response and efficiency
- SWT Circuits are kink-resistant
- Easy to clean and dries thoroughly and quickly
- Two sizes: Small (12 mm) for animals up to 20kg, and Large (15 mm) for animals over 20kg



Code	Description
CIRD12	12mm x 1.6m, 0.5 & 1 litre bag. For animals 3-20kg
CIRD15	15mm x 1.6m, 3 litre bag. For animals over 20kg

Darvall Heated Smooth Wall Circle Circuits

Features & Benefits:

- Simple to use
- Light-weight / portable
- Fits all standard gas machines
- Temperature of gases measured at Y-piece & displayed
- Temperature of patient measured & displayed
- Closed-loop feedback provides automatic shut-off for safety
- Hypothermia risk reduced, particularly in smaller animals
- Computer controlled precision



Code	Description
HC- SK9855	Starter Kit with Heat Controller plus 12mm and 16mm circuit plus Lack NRB Kit. Connection cable and Temperature Probe
HC-CIRD12	Heated Circuit 12mm x 1.6m, 0.5 & 1 litre bag. For animals 3-20kg
HC-CIRD15	Heated Circuit 15mm x 1.6m, 3 litre bag. For animals over 20kg
HC-PC8971	Power Cable Mains IEC to UK
HC-CC8615	Cable Heat Controller 15 pin to Breathing Circuit 4 pin Molex
HC-TC8617	Temperature Cable 3.6mm OD for dogs, cats and rabbits

01491 527027

Circle Absorbers

Code	Description
KABAU	Darvall SafeAbsorb (for use with Metal T Piece)
KABTP	22mm T Piece
KABLE	Long Extension for KAB Absorber 22F/22M
SDLFUN	Soda Lime Funnel
KABBM	KAB Bag Mount Elbow (spare)



KABTP

Metal T Piece



KABBM

Spare Bag Mount Elbow 22M-22F



KABLE

Extension for KAB Absorber where, for instance, there needs to be clearance of the vaporiser.



SDLFUN

Powder Funnel to aid the filling of the KAB Absorber

I.P.P.V. Button Valve

For use with any breathing system with a 30mm scavenge valve. Just press the button to occlude flow, system instantly re-opens when released.

Code	Description
IPPV-BV	I.P.P.V. Button Valve



01491 527027

Spherasorb™ Soda Lime

Spherasorb's chemical formulation has been developed specifically to address the potential problems of use within the medical environment.

LoFloSorb eliminates the risk associated with reactions with volatile anaesthetics.



Available individually or in boxes of 2

Code	Description	Box Qty	Box Code
SDLPW45	Spherasorb Pink to White 4.5kg	2	SDLPW45/2
SDLWV45	Spherasorb White to Violet 4.5kg	2	SDLWV45/2

Code	Description	Box Qty	Box Code
SDLLFS45	LoFloSorb Green to Violet 4.5kg	2	SDLLFS45/2

IS Can™

IS Can, Spherasorb™ disposable CO2 absorber, pink to white or white to violet colour change or Loflosorb™ green to violet colour change. For use with GE® anaesthetic machines: Aisys®, Aespire®, Avance® and ADU®



Code	Description
SDLPW2197	Pink to White Spherasorb® Cannister. Box of 6.
SDLWV2196	White to Violet Spherasorb® Cannister. Box of 6.
SDLGV2198	Green to Violet Loflosorb® Cannister. Box of 6.

The Drum™




Code	Description
SDLPW2187	Pink to White Spherasorb® 1kg Drum. Box of 10.
SDLWV2186	White to Violet Spherasorb® 1kg Drum. Box of 10.
SDLGV2188	Green to Violet Loflosorb® 1kg Drum. Box of 10.

01491 527027

Zero Dead Space Circuit for Rodents and Exotics

Features & Benefits

- Delivers inlet gas directly into patient mask (zero dead space) for more rapid and predictable anaesthesia
- Reliable control of anaesthetic delivered to rodents
- Diaphragm openings available to suit a wide range of animals, from rats and mice to small animals and exotics
- More efficient single animal induction of rodents and other small animals



Darvall ZDS (Zero Dead Space) Masks provide predictable delivery of anaesthesia for rodents, birds and exotics 2kg and under. The stream-lined flow eliminates dead space, avoiding the need for tight fitting face masks.




Code	Description
ZDSM	Zero Dead Mask with 12mm and 20mm Diaphragms
ZDSDIA12	Replacement Diaphragm 12mm hole (to stretch to 15mm)
ZDSDIA20	Replacement Diaphragm 20mm hole (to stretch to 23mm)



Exotic/Small Mammal Anaesthesia Mask and Non-Rebreathing Circuit

These especially small masks were specifically designed for use on small exotics such as pocket pets and birds. The small circuit hooks up the same way as a non-rebreathing circuit does to an anaesthesia machine. The masks fit tight around the nose and mouth. Soft conforming cone can be trimmed to custom fit animal's nose. The oxygen/gas tube position can be adjusted inside mask. Also circuit can be taped to the table to help keep it positioned on the animal's nose or muzzle.



Code	Description
CIR-J0297AN	Exotic/ Small Mammal Circuit 9.0mm
CIR-J0297BN	Exotic/Small Mammal Circuit 12.5mm
CIR-J0297CN	Exotic/ Small Mammal Circuit 14.0mm

01491 527027

In Circuit Pressure Manometer

<ul style="list-style-type: none"> Works on common non-rebreathing circuits 	Code	Description
	PMD040	In Circuit Pressure Manometer for 22mm Circuits. 0-60cm H2O
<ul style="list-style-type: none"> Simple to use – detach rebreathing bag and insert Manometer (directions included) 	PMD040TP	In Circuit Pressure Manometer for Ayres T Piece. 0-60cm H2O
	PMD020	In Circuit Pressure Manometer for 22mm Circuits. 0-25cm H2O
	PMD020TP	In Circuit Pressure Manometer for Ayres T Piece. 0-25cm H2O

The In Circuit Patient Pressure Manometer is the safest way to accurately monitor the circuit pressure using non-rebreathers and circuits that do not utilize the manometer on the anaesthesia machine. It can also be used to add pressure monitoring capabilities to older anaesthesia machines that lack manometers.

The In Circuit Patient Pressure Manometers has a standard 22mm connector that can be used on all circuit types.

The Kit for the Ayres T Piece includes a connector to enable fitting to the smaller circuit.



PEEP Valves

Intersurgical valves are 100% tested and individually identified with a code on the valve itself, so that performance data is available for future reference. The transparent body design, coupled with the coloured internal components, allow for easy blockage assessment and monitoring of patient's respiratory rate.

Within the lightweight, robust L-shaped design we also feature an internal disc valve to satisfy the patient if the peak flow requirement exceeds the set flow.

Code	Description
PEEP2202	2.5cm H ₂ O Colour Coded Black
PEEP2205	5.0cm H ₂ O Colour Coded Blue
PEEP2207	7.5cm H ₂ O Colour Coded Yellow
PEEP2210	10.0cm H ₂ O Colour Coded Green
PEEP2212	12.5cm H ₂ O Colour Coded Dark Pink
PEEP2215	15.0cm H ₂ O Colour Coded Red
PEEP2220	20.0cm H ₂ O Colour Coded Brown



01491 527027

EMD Safety Valve



Most veterinary anaesthetic machines do not have a safety pressure relief valve. The pop-off valve can perform this function but it is easily defeated by being manually closed during mechanical ventilation and during system pressure testing. If the operator forgets to re-open the valve, tragedy results.

The EMD Safety Valve is a simple solution to this problem. It cannot be manually defeated. It is passive in that it does not need to be turned on like pressure alarms do. It can be placed anywhere in the rebreathing breathing circuit.

The valve opens once the airway pressure exceeds approximately 26 cm H₂O, bleeding off gas pressure, thereby preventing barotrauma. Pressure will remain open until the pop-off valve is opened or the patient is disconnected from the circuit.

All anaesthetic machines should be equipped with a Safety Valve. Human error is unavoidable. This simple passive device will prevent a simple oversight from resulting in the death of a cherished pet and devastating effect a tragic medical error can have on the staff and the practice.

Code	Description
EMDSV	EMD Safety Valve
EMDSA	EMD Scavenging Adapter

32 Tube Management


Tube Management

Breathing systems that drag across the floor are unhygienic and can cause accidents. The Intersurgical tube management products comprises of tube clips, management clip and grip, and tube supports. They are designed to position their breathing systems efficiently and comfortably around the patient area whilst providing a safe and tidy environment, whilst reducing the risk of disconnection and patient trauma. A simple solution to a common problem.



Tube Clip Management System

Code	Description	Price	Box Code	Box Qty	Box Price
INT2316	Tube Clip Management System	£2.50	INT2316/12	12	£24.00
INT1978	Safety Cap 22F	£0.65	INT1978/45	45	£25.00



There are two U-shaped brackets, a single tube clip and a double tube clip to keep bagging limbs and tubes secure. The U-shaped bracket is self adhesive and can be used with the red safety cap or tube clips. This creates an effective way to keep the anaesthesia breathing systems off the operating theatre floor, and presents them in a convenient position on the anaesthesia machine in between patients.

Tube Grip

Compatible with the Tube Clip Management system. Clips to the tube holder and can then be attached to drapes /sheets etc.



Code	Description	Price
INT2321	Tube Grip	£1.85

Tube Support

Ergonomically designed tube support is a neat way of securely holding a breathing system close to the patient. Available in two sizes the tube support efficiently holds in place 10, 15, 22 and 30mm tubes with a smaller groove to grip monitoring lines and cables. The flexible neck is easily positioned to take the strain of the breathing system away from the patient.



Code	Description	Price
INT5904	30mm, 22mm and 15mm Tube Sizes	£120.00
INT5905	15mm and 12mm Tube Sizes	£120.00

01491 527027

Intersurgical®

Available individually or in box quantities.

Single Code	Size	Box Qty	Box Code
INT2805	0.5L, 15mm Neck Breathing Bag for use with Ayres T Piece	10	INT2805/10
INT2810	1.0L, 22mm Neck Breathing Bag	10	INT2810/10
INT2811	1.0L, 15mm Neck Breathing Bag for use with Ayres T Piece	10	INT2811/10
INT2820	2.0L, 22mm Neck Breathing Bag	10	INT2820/10
INT2830	3.0L, 22mm Neck Breathing Bag	10	INT2830/10



Latex Free Breathing Bag 0.5 litre with 22mm Neck

Code	Description
BBLF0522	0.5L with 22mm Neck



Latex Free, Reusable Grey with Loop

Code	Size
BBLFR05	0.5L, 22mm Neck
BBLFR10	1.0L, 22mm Neck
BBLFR20	2.0L, 22mm Neck
BBLFR30	3.0L, 22mm Neck



Black Rubber

Code	Size
BBBR05	0.5 litre with 22mm Neck
BBBR1	1.0 litre with 22mm Neck
BBBR15	1.5 litre with 22mm Neck
BBBR2	2.0 litres with 22mm Neck
BBBR3	3.0 litres with 22mm Neck
BBBR4	4.0 litres with 22mm Neck
BBBR5	5.0 litres with 22mm Neck
BBBR150	15.0 litres
BBBR30	30.0 litres



01491 527027

Fibre Optic

Right Hand Blades for Veterinary Use



Code	Size
LBRH075	75mm Blade
LBRH100	100mm Blade
LBRH150	150mm Blade
LBRH200	200mm Blade
LBRH250	250mm Blade
LBRH300	300mm Blade
LBRH350	350mm Blade
LSETRH	Set of 5 blades (75mm—250mm) and Standard Handle in a case

- Right Handed Veterinary Blades
- 75mm, 100mm, 150mm, 200mm, 250mm
- 300mm & 350mm blades also available
- Fibre Optic
- Choice of 3 Handles
- Autoclavable to 138°C

Standard Fibre Optic (Human Type)

- 4000 Autoclave Cycle
- Compliant with Green System Handles

Code	Size
LBFORMIL00	Size 00
LBFORMIL0	Size 0
LBFORMIL1	Size 1
LBFORMIL2	Size 2
LBFORMIL3	Size 3
LBFORMIL4	Size 4

Code	Size
LHSL	Slimline Handle
LHSTDAU	Standard Handle Autoclavable
LHSTU	Stubby Handle
LHDPB	BritePro Standard Handle



01491 527027

BritePro Single Use Fibre Optic

Blade & Handle Complete

Code	Size
LDPBMIL00	BritePro Blade & Handle Miller 00
LDPBMIL0	BritePro Blade & Handle Miller 0
LDPBMIL1	BritePro Blade & Handle Miller 1
LDPBMIL2	BritePro Blade & Handle Miller 2
LDPBMIL3	BritePro Blade & Handle Miller 3



Code	Size
LHDPB	BritePro Handle

BritePro Solo features a Single Use handle and LED light source with a fibre optic all-metal blade. The blade and the handle conform to all standard fibre optic systems.

Conventional Laryngoscopes

Miller Blades

Code	Size
LBCMILO	Size 0, 75mm Blade
LBCMIL1	Size 1, 100mm Blade
LBCMIL2	Size 2, 155mm Blade
LBCMIL3	Size 3, 190mm Blade
LBCMIL4	Size 4, 200mm Blade

Conventional Laryngoscopes have a physical bulb located in the blade.



Handles & Bulbs

Code	Size
LHCSL	Slimline Handle
LHCSTD	Standard Handle
BULBLG	Large Bulb
BULBSM	Small Bulb



01491 527027

MRI Compatible Disposable Laryngoscopes

- Disposable system eliminates the risk of cross infection between patients
- Super bright LED far exceeds the light output requirements of ISO 7376
- ISO 7376:2020 Compatible, to be used with PROACT MRHPC blades only
- Tested to ASTM standards as suitable (MR Conditional) for use in MRI environments as a blade and handle set
- No touch removal and insertion of batteries reduces the risk of cross-contamination
- Non-magnetic, full metal handle construction with grooves offering strength and secure grip
- Affordable, cost effective, simple and disposable solution
- Supplied in easy to open, clearly identified MR sachets and dispenser box
- Latex Free

Available individually or in boxes of 10.

Single Code	Size	Box Qty	Box Code
MRHPCMIL00	Miller 00 Blade	10	MRHPCMIL00/10
MRHPCMIL0	Miller 0 Blade	10	MRHPCMIL0/10
MRHPCMIL1	Miller 1 Blade	10	MRHPCMIL1/10
MRHPCMIL2	Miller 2 Blade	10	MRHPCMIL2/10
MRHPCMIL3	Miller 3 Blade	10	MRHPCMIL3/10
MRGSHB01	MRI Compatible Handle Disposable	10	MRGSHB01/10
MRBATT01	Additional Battery Pack for MRI Handle		



01491 527027

Portex Blue Line Ultra, Cuffed & Inner Cannula

These Portex Tracheostomy Tubes come complete with an Inner Cannula which are also available to purchase separately, in Packs of 2.

Tubes

Code	Size
TTICBLU060	6.0mm
TTICBLU070	7.0mm
TTICBLU075	7.5mm
TTICBLU080	8.0mm
TTICBLU085	8.5mm
TTICBLU090	9.0mm
TTICBLU100	10.0mm

Inner Cannula

Code	Size
TTIC060	6.0mm Pack of 2 Inner Cannula
TTIC070	7.0mm Pack of 2 Inner Cannula
TTIC075	7.5mm Pack of 2 Inner Cannula
TTIC080	8.0mm Pack of 2 Inner Cannula
TTIC085	8.5mm Pack of 2 Inner Cannula
TTIC090	9.0mm Pack of 2 Inner Cannula
TTIC100	10.0mm Pack of 2 Inner Cannula



Jorvet, Silicone

- Most tubes are supplied with an obturator. These aid in insertion and are removed after placement.
- All tubes have a 15mm connector. This is the same fitting as an endotracheal tube and allows hook-up to an anaesthesia hose.
- All tubes have pliable wings or flanges allowing tying the tube in place with cotton (umbilical) tape or gauze.
- Tubes are non-cuffed or cuffed (needed when assisting ventilation).
- Tubes are single lumen cannula.
- All tubes are 100 percent silicone that softens at body temperature.
- All cuffed tubes are high volume low pressure and profile.

NOTE: Tracheostomy tubes are sized by their I.D. Tubes should be ~50% of the tracheal lumen width. The trachea changes diameter during the respiratory cycle. The tracheal body is wider than the larynx.

Cuffed

Code	Size	Code	Size
TTCS035	3.5mm	TTCS060	6.0mm
TTCS040	4.0mm	TTCS070	7.0mm
TTCS045	4.5mm	TTCS080	8.0mm
TTCS050	5.0mm	TTCS090	9.0mm
TTCS055	5.5mm		

Uncuffed

Code	Size	Code	Size
TTUS025	2.5mm	TTUS055	5.5mm
TTUS030	3.0mm	TTUS060	6.0mm
TTUS035	3.5mm	TTUS070	7.0mm
TTUS040	4.0mm	TTUS080	8.0mm
TTUS045	4.5mm	TTUS090	9.0mm
TTUS050	5.0mm	TTUS100	10.0mm



01491 527027

Equine, Silicone Tracheostomy

Silicone softens at body temperature for patient comfort. Balloon inflates via one-way valve. The universal attachment fits large animal anaesthesia machine and ventilator hoses. Has a wide outer flexible plate for secure attachment

Code	Size
TTSE15	15mm Cuffed
TTSE20	20mm Cuffed
TTSE25	25mm Cuffed



Metal Tracheostomy

Nickel-Plated Brass

Code	Size
TTNM18	18mm I.D. 22mm O.D.
TTNM22	22mm I.D. 28mm O.D.



Tracheostomy Cleaning Brushes

Pape's Model, Self retaining.

Code	Size
TTCB080	8.0mm x 90mm
TTCB100	10.0mm x 90mm
TTCB120	12.0mm x 90mm
TTCB140	14.0mm x 90mm



Hydrotrach HME Filter

The InterTherm T+ is a heat and moisture exchanger (HME) designed for use with spontaneously breathing patients in order to reduce loss of heat and moisture during respiration, ideal for patients and clinicians caring for patients living with a tracheostomy.

Small and lightweight, it features both a clipped suction port and swivel oxygen stem combined with a unique white corrugated paper HME design to provide the perfect combination between humidification output and low resistance to flow. The product is also available with supplemental oxygen tube.

Single Code	Box Qty	Box Code
INT1875	25	INT1875/25



01491 527027

Surgivet Induction Chambers



Code	Description
IC-V711801	Large Induction Chamber 4 x 4 x 12"
IC-V711802	Small Induction Chamber 4 x 4 x 6"

Economy

- Moulded one piece construction
- For induction, oxygen therapy or euthanasia
- Simple, secure closures
- Leak proof
- Easy to clean
- Internal Dimensions: 38cm x 24cm x 18cm.



Code	Description
ICESM	Economy Small



We can make Induction Boxes to the size of your choice. Please let us know your requirements by calling 01491 527027 or emailing on sales@acevetsupplies.co.uk



01491 527027

40 Connectors– Straight

INT1568 Straight connector 22F - 6mm
oxygen stem

Available each or Box of 40



INT1921 One-way directional valve
22M (flow in) - 22F (flow out)

Available each or Box of 75



INT1945 Straight connector 15M-
15M

Available each or Box of 30



INT1948 Straight Connector 15M- 6mm
swivel-15F

Available each or Box of 50



INT1950 One-way directional
valve 22M (flow in) - 22M (flow
out)

Available each or Box of 40



INT1961 Straight connector
22M-22F

Available each or Box of 40



INT1963 Straight connector 22M - 6mm OD
stem and cap - 22F

Available each or Box of 25



INT1661 Straight connector 15M/11.5-
10M. Fits into Ayres T Piece

Available each a Box
of 35



INT1943 Straight connector
15M - 22M

Available each or Box of 40



INT1946 Straight connector 15M-15F

Available each or Box of 30



INT1949 Straight connector 15F - 15F

£1.30 each

£26.00 box of 25



INT1960 Straight connector 22M-22M

Available each or Box of 40



INT1962 Straight connector 15M - 22F

Available each or Box of 30



01491 527027

INT1964 Straight connector 22M - 22F with 7.6mm Port and Cap

Available each or box of 25



INT1965 Straight connector 22M - 6mm OD stem and cap - 22M

Available each or box of 25



INT1966 Straight connector 22M - 7.6mm Port and Cap - 22M

Available each or box of 25



INT1967 Straight connector 22F-22F

Available each or Box of 35



INT1968 Tube Connector 22M with 6mm Oxygen Stem

Available each or B ox of 40



INT1969 Straight connector 22M/22M-15F

Available each or Box of 40



INT1970 Straight Scavenging Connector 22M-30M

Available each or Box of 35



INT1971001 Straight Scavenging Connector 30M-30F

Available each or Box of 75



INT1971 Straight Scavenging Connector 22M-30F

Available each or Box of 25



INT1974 Straight Connector 22M/15F with large Oxygen Stem

Available each or Box of 45



INT1977 Straight Connector 22M - 10mm swivel elbow - 22F

Available each or Box of 35



INT1979 Straight connector 15F - 22F

Available each of Box of 50



GE2105488-016 Straight connector 22M - 22F with Port

Available each or Box of 10



INT2713 Straight connector 15M - luer lock port with retained cap - 22M/15F



01491 527027

42 Connectors– Elbows , Luer

INT1997 Fixed elbow 15M-22M/15F

Available each or Box of 30



INT1891 22F-22F Elbow Connector with 7.6mm Port.

Available each or Box of 25



INT1892 22M-22M Elbow Connector with 7.6mm Port.

Available each or Box of 25



INT1897 Fixed elbow 15M-22M/15F with Double Swivel

Available each or Box of 30



INT2714 Fixed elbow 15M - luer port - 22M/15F

Available each or Box of 25



INT1898 Double swivel elbow 15M - double flip top cap with seal - 22M/15F

Available each or Box of 30



Luer Connectors

INT2710 Luer Port Elbow 7.6mm Port.

Available each or Box of 25



LUERFF Female to Female Luer



PFLLA Female Luer Lock to Tapered Catheter End Fitting 10-20FrID

PFLAL Female Luer Lock to Tapered Catheter End Fitting 20-40FrID



01491 527027

INT1980 T-Piece 22M-22M-22M/15F

Available each
or Box of 25



INT1982 T-Piece 22M-22M-22F

Available each or Box of 20



INT1902 15mm paediatric traditional Y-piece 15F patient connection - 15M-15M

Available each or Box of 25



YPP15M 15mm paediatric traditional Y-piece 15F patient connection - 15M-15M

Available each or Box of 25



INT1926 22mm parallel Y-piece 22M/15F patient connection - 22M-22M

Available each or Box of 20



INT1981 T-Piece 22M-22F-22M

Available each or Box of 25



YPA22MLLP 22mm anaesthetic Y-piece 22M/15F patient connection with luer lock port , Flexicare

Available each



INT1903 15mm paediatric traditional Y-piece 15F patient connection - 15M-15M with 7.6mm Ports

Available each or Box of 25



INT1929 22mm adjustable anaesthetic Y-piece with swivel neck 22M/15F patient connection - swivel 22M - swivel 22M with luer lock port

Available each or Box of 15



OLC-Y Oxygen Link Y connector 7mm—8mm OD. Pack of 10



01491 527027

Needles for Blocks Under Ultrasound: 30° BEVEL (USB)

The USB stimulation needle features a familiar 30 degree 'back-cut' bevel tip for extra confidence in those used to this type of bevel, and improved perception of the needle's passage through tissues.

Code	Description	Diameter	Length
USB050-22/10	Ultrasound Needle 50mm. Box of 10	22G	50mm
USB070-22/10	Ultrasound Needle 70mm. Box of 10	22G	70mm
USB090-21/10	Ultrasound Needle 90mm. Box of 10	21G	90mm
USB120-21/10	Ultrasound Needle 120mm. Box of 10	21G	120mm

Needles for Blocks Under Ultrasound: 20° BEVEL (USC)

The USC stimulation needle features a flattened 20 degree bevel tip, maximising the visibility under ultrasound – even when 'out of plane'. The needle is treated with a 'roughening' effect, maximising echographic properties and providing the user with a clear return.

Code	Description	Diameter	Length
USC050-22/10	Ultrasound Needle 50mm. Box of 10	22G	50mm
USC070-22/10	Ultrasound Needle 70mm. Box of 10	22G	70mm
USC090-21/10	Ultrasound Needle 90mm. Box of 10	21G	90mm
USC120-21/10	Ultrasound Needle 120mm. Box of 10	21G	120mm

Needles for Blocks Under Ultrasound with Stimulation (Hybrid)

Code	Description	Diameter	Length
EH035-22/10	Hybrid Needle 35mm. Box of 10.	22G	35mm
EH055-22/10	Hybrid Needle 55mm. Box of 10.	22G	55mm
EH095-21/10	Hybrid Needle 95mm. Box of 10.	21G	95mm
EH125-21/10	Hybrid Needle 125mm. Box of 10.	21G	125mm
EH150-21/10	Hybrid Needle 150mm. Box of 10.	21G	150mm



01491 527027

Echoplex Needles

Designed for clinicians who use Ultrasound and stimulation techniques to locate the peripheral nerve sheath.



Code	Size (G)	Length (mm)	Box Quantity
6194.103	21	100	20
6194.123	21	120	20
6194.153	21	150	20
6194.253	23	25	20
6194.353	23	35	20
6194.503	22	50	20
6194.853	21	85	20

Echoplex Needles

Nerve stimulator allowing nerve location through the emission of a low intensity electrical current.



Code	Description
NS-750131	Plexygon Nerve Stimulator
08750302A	Replacement Cable (Red & Black)

BSmart™ Injection Pressure Monitor

BSmart™ Injection Pressure Monitor is an easy-to-use inline injection pressure monitoring device providing clinicians with objective pressure information regardless of who performs the actual block.

While perineural injections are typically associated with low opening injection pressure (< 15psi)¹, high opening pressure can indicate needle-nerve-contact¹ or intra-fascicular needle placement.⁴

Monitoring the opening injection pressure with BSmart™ may prevent injections into poorly compliant tissue by aborting an injection and repositioning the needle when the monitor indicates that opening injection pressure is abnormally high (> 15psi).



Code	Description
BSMART	BSmart Injection Pressure Monitor

01491 527027

Mistral Air Warming Unit

The Forced Air Warming unit is lightweight, easy to clean and made of shock absorbent material.

Improve patient outcome through safe, comfortable and smart patient warming.

Optimised heat transfer due to Multi Sensor Technology & Powerful Fan

Optimal elimination of air contaminants by the HEPA filter

Ergonomic and flexible in use as a result of the slim & lightweight design


Equipped with a versatile mounting bracket, the slim warming unit offers caregivers a diversity to securely position the warming unit across all care areas.



Code	Description
WAS001	Mistrial Warm Air Heater
WAS-TM	Trolley Mount for Mistral
KK-J1304Q	Kennel Connector for Mistral Warm Air System

01491 527027

BAJA Disposable Blankets



Code	Size
WABBTM	Medium Tube Under Blanket 635mm x 890mm
WABBTS	Small Tube Under Blanket 510mm x 635mm
WABBOUL	Large Over/Under Blanket 760mm x 1600mm
WABBOUM	Medium Over/Under Blanket 760mm x 1220mm
WABBOUS	Small Over/Under Blanket 760mm x 790mm

BAJA Accessories

Kennel Konnector



The BAJA Kennel Konnector is your conduit to safe patient warming inside the kennel.

- The blower and hose stay outside the Kennel
- The warming blanket, under/or around the patient is inside
- Using quick release reinforced rubber bands and foam inserts, the 2 piece door clamp assembly attached through the kennel door
- The 65mm hose (included) delivers air to the blanket, through the kennel door, keeping the patient warm.
- No tools required

Code	Size
KKBPWS	Kennel Konnector for the Baja Patient Warming System
KKRS	Kennel Konnector Replacement Straps
KKRF	Kennel Konnector Replacement Foam (Pair)
KKDCA	Kennel Konnector Replacement Door Clamp Assembly



Door Clamp Assembly



Foam

01491 527027

Jorvet Reusable Warming Blankets

PART NO	SIZE
WAB12060	120cm x 60cm
WAB9060	90cm x 60cm
WAB7570	75cm x 70cm
WABSET	Set of 3 as above



The Jorvet blankets are made of a silky polyester fabric with an inlay of nylon water proof material to keep the air-flow circulating upward towards just the patient. These blankets are machine washable (hang to dry) therefore much more economical than other air blankets on the market, which are disposable. There is a 5" diameter round opening with a nylon cord to secure the blanket to any of the major brands of warm air convection units.

Hoverheat Forced Air Warming

HoverHeat is the only forced air warming system that provides true under-body warming. With its proprietary internal components, HoverHeat provides a cushion of heated air to warm under and over body - something not previously possible with forced-air warming!

The most Complete patient air warming system ever
True under and over body warming with one warm air blower

Use any warm air blower

Use for surgical, dental, endoscopy, and imaging procedures


Use for Pre-op, Intra-op, and Post-op warming



The set includes:

- 1 Small HoverHeat.
- 1 Medium HoverHeat.
- 1 Large HoverHeat.
- 1 HoverHeat Connector.
- 1 HoverHeat Adaptor.

Code	Description
WABHH2914	Hoverheat Warming 29" x 14" Small
WABHH3517	Hoverheat Warming 35" x 17" Medium
WABHH4020	Hoverheat Warming 40" x 20" Large
HHCON	Hoverheat Connector
HHADA	Hoverheat Adapter
HHSET	Hoverheat Set



01491 527027

Foil Blankets

PART NO	DESCRIPTION
FBM	130cm x 210cm
FBS	120cm x 90cm
WBHP-NB	Wheat Bag, Rectangle –Navy Blue



Reflect-a-Therm Table Cover

- Reflect-a-Therm Table cover offers excellent insulation for the animal.
- The reflective layer and the insulating bubbles stops up to 80% of the animals heat escaping through the cold stainless steel.
- Excellent way of keeping animals warm during examination, where Hyperthermia is a real risk.
- The PVC is sealed using HF welding to ensure the cover is claw proof and leak proof.
- Can be easily wiped clean and is padded for added comfort.



PART NO	SIZE
RATTC11560	115cm x 60cm
RATTC12050	120cm x 50cm

Silver Heat Products

Looking for an inexpensive, easy-to-use method of improving patient warming, in any situation, Silver Heat products are made from a special, aluminium-coated reflective nonwoven material that bounces up to 80% of your patient's radiant heat loss back towards the animal, providing what we like to call "*patient-powered*" warming.

Leggings



Code	Size
SHLXL	Legging, Extra Large 760mm. Pack of 2
SHLL	Legging, Large 560mm. Pack of 2
SHLM	Legging, Medium 380mm. Pack of 2
SHLS	Legging, Small 280mm. Pack of 2
SHLXS	Legging, Extra Small. 180mm. Pack of 2
SHPOP	Papoose, 330mm x 610mm
SHNEST	Small Animal Nest, 310mm dia

Papoose



- Excellent for patients too small to cover with a blanket
- Velcro closures
- Adjustable sizing yields good fit for patients under 10kg
- Great for shorter dental procedures

Small Animal Nest



- Warm, Cosy Comfort for Small Cats and Exotics
- Circular configuration accommodates small animals of all shapes
- Elastic closure at top ensures closure around animal
- Full body radiant heat reflection

01491 527027

Thermal Mattress

For Surgery, Endoscopy, Dental, Imaging
Radiolucent X-Ray and CT
Adjunct to Active Warming
Easily Cleaned
Reusable

- Available in 3 Sizes
- Small 510mm x 710mm
- Medium 610mm x 860mm
- Large 710mm x 1015mm

Two Layer Internal Design
Insulative conductive thermal barrier
Radiant Heat Protective Barrier



Code	Size
WTB-LAR	Warm Thermal Blanket Large 710mm x 1015mm
WTB-MED	Warm Thermal Blanket Medium 610mm x 860mm
WTB-SML	Warm Thermal Blanket Small 510mm x 710mm
WTB-SET	Set of Small, Medium & Large Blankets

- Use either ConRad Thermal Blanket immediately upon induction of anaesthesia or sedation.
- Prevents the rapid Phase I drop in body temperature.
- The time taken to prep for surgery and apply monitors can drop the animal's body temperature several degrees even before surgery or imaging starts, unless preventative measures are taken.
- The General Use ConRad Thermal Blanket is recommended for all procedures and imaging, except for MRI.
- The MRI-Safe ConRad Thermal Blanket (Page 62) is used with MRI procedures.

MRI Safe Thermal Mattress

Designed exclusively for use in MRI
No MRI Signal Loss
Clinically Tested to Maintain Body Temperature
Available in 3 Sizes

- Small 510mm x 710mm
- Medium 610mm x 860mm
- Large 710mm x 1015mm

Two Layer Internal Design
Insulative conductive thermal barrier
Proprietary MRI Safe heat loss barrier




Code	Size
WABMRI-LAR	Warm Thermal Mattress Large 710mm x 1015mm
WABMRI-MED	Warm Thermal Mattress Medium 610mm x 860mm
WABMRI-SML	Warm Thermal Mattress Small 510mm x 710mm
WABMRI-SET	Set of Small, Medium & Large Mattresses

01491 527027

Dormosafe Electric Blanket

The Dormosafe heating mat is the latest development of professional heating systems for veterinary medicine. The padded mat combines safety, user-friendliness and heating quality. Three temperature sensors distributed throughout the mat continuously measure the accumulated heat between the patient and the mat. The redundantly protected microcontroller in the mat regulates the heat output depending on the degree of cooling of the patient. The pre-set temperature of 42°C is thus neither exceeded nor fallen short of, which guarantees an even and safe heating.

- Safety Voltage—electrical safety for patient and personal.
- Overheat protection with 3 Temperature Sensors—optimise heat transfer to 42°C.
- Acoustice Alarm—due to errors or temperature above 45°C.
- Size 45cm x 35cm x 2cm



Code	Size
DHM45352	Dormosafe Heat Mat Complete 45cm x 35cm x 2cm
DHM60452	Dormosafe Heat Mat Complete 60cm x 45cm x 2cm

Warm Patients Heal Faster

A constant body core temperature is a basic prerequisite for the function of vital organs. It reduces the risk of surgical complications, accelerates the recovery phase and healing.

Easy, Fail-Safe Handling

The control electronics of the Dormosafe heating mat are accommodated in the mat itself so there is no longer any need for an external control unit. The flexible mat is therefore completely insensitive to falls. Due to the three sensors, a wrong positioning of the patient is impossible and therefore handling is easier.

Heated Veterinary Operating Tables

A simple but effective product that gently warms small mammals on the operating table minimising loss of body heat, and increasing survival rates.

The V500DVstat is constructed from tough ABS plastic with an anodised aluminium panel bonded to the surface to aid cleaning and sterilisation. A separate digital control module allows the precise temperature of the surface to be selected by the surgeon within the range 10 to 50 degrees C, and operation of the heater is indicated by an amber light.

Size: 350mm x 530mm

The V500 is constructed from tough ABS plastic, with an anodised aluminium panel bonded to the surface to aid cleaning and sterilisation. This is heated and controlled by an electronic thermostat to 35 degrees C. An amber light displays operation of the heater.



Code	Description
V500VSTAT	Heated Table 350 x 530mm with Digital Control
V500	Heated Table 350 x 530mm to 35°C

01491 527027

HUG-U-VAC

- Conforms Gently to Body Contours
- Pressure Sore Prevention
- Body Heat Conservation
- Emergency Fracture Stabilization
- Secure Head and Neck Support
- X-Ray Lucent
- Easily Cleaned
- Pre-op Prep – shaving or sterile scrub
- Surgery – ventral, dorsal or lateral position
- Post-op Recovery – prevent aspiration
- Radiological Exams – precise positioning for accurate x-rays
- Ultrasound and CT scans
- Emergency Transport
- Newborn Care – positioning and heat conservation



Code	Description
HUV1624	Small Positioner 16" x 24" Puppies & Kittens
HUV2030	Medium Positioner 20" x 30" Cats & Small Dogs
HUV2436	Large Positioner 24" x 36" Medium and Large Dogs, Goats, Sheep
HUV3045	Extra Large Positioner 30" x 45" Large Dogs, Goats & Sheep
HUV3654	Jumbo Positioner 36" x 54" Large Animals, Alpacas, Llamas, Foals & Mini Horses
HUVHHP	Head Positioner
HUVMVP	Manual Vacuum Pump & Hose
HUVVDB	Duffel Bag
HUVPK	Patch Kit
HUVELRS	Extra Limb Restraints (Set of 4)
HUVSET	5 Body Positioners, 1 Head Positioner, 1 Vacuum Pump, 1 Duffel Bag, 1 Patch Kit and 20 Limb Restraints



01491 527027

Buster Vacu Support

Ideal support for surgery and examination of patient. Keeps the patient insulated from cold operating tables. Resistant to all commonly used disinfectants. Radiolucent.

Code Description

BB3060 30cm x 60cm

BB50100 50cm x 100cm

BBVP Vacuum Pump (Yellow)

BBVP1 Vacuum Pump (Blue)



Foot Pump (Blue)



Foot Pump (Yellow)

Schure Slide™ Patient Transfer System

Used to transfer patients safely and easily. The sliding action eliminates the need to lift the patient, removing the risk of possible back injury to personnel. There are no steel rollers or hard surfaces to cause pain or discomfort to the patient, and the unique patented design allows patient transfer in any position. The Schure Slide™ is radiolucent and is non-staining.

Measures: 46 x 84 cm

Code Size

PTS4684 Schure Slide Patient Transfer System



Redmark Cradles

Small animal cradle system for X-Ray and Surgical Positioning.

Code Description

CR5050 Large Animals over 32kg weight. 50cm x 50cm

CR4540 Medium Animals 13kg—32kg weight. 45cm x 40cm

CR3427 Small Animals up to 13kg weight. 34cm x 27cm

CRSET3 Set of 3 Small, Medium, Large Cradles



01491 527027

Oxygen Link Tubing

Code	Description
OLT30M	Oxygen Link Tubing 30m
OT1180	Oxygen thick wall tube, 5mm ID - 8mm OD



OLT30M

The 3.0mm inner diameter tubing comes in a dispensing box with a 30m coil that can be cut to the desired length.



OT1180

1 roll of 50m length.

Nasal Cannulas

Code	Size
NC-LGE	Nasal Cannula—Large (Adult)
NC-MED	Nasal Cannula—Medium (Paediatric)
NC-SML	Nasal Cannula—Small (Infant)
NC-XSM	Nasal—Cannula—Extra Small (Neonatal)



Oxygen Link Tubing Connector

Code	Description
OLC-Y	Oxygen Link Tubing. Connector. Pack of 10.



Oxygen Tubing Swivel Connector

Code	Description
OTSCDE	Oxygen Link Tubing. Swivel Connector.



Nasal Oxygen Catheter

Code	Size
NOC0639	6fr x 39cm
NOC0839	8fr x 39cm
NOC1039	10fr x 39cm



01491 527027

Bubble Humidifier Bottle

Code	Description
OHR0788	Oxygen Humidifier Bottle Disposable
OHB21135	Oxygen Humidifier Bottle Autoclavable



Autoclavable

Disposable

Oxygen Flowmeters

Code	Description
OFDP015	Oxygen Flowmeter 0 - 15LPM. Direct Probe with Tube Nipple
OFBSP015	Oxygen Flowmeter 0 - 15LPM. 3/8" BSP with Tube Nipple



Direct Probe

3/8" BSP

Regulators

Code	Description
O2RBNBSP	Oxygen Regulator Bullnose with 3/8" BSP



Tubing Nipple

Code	Description
O2TN	Tubing Nipple



O2 Splitters

Code	Description
O2TWIN	Twin Schrader Adapter + BS Probe
O2TWIN-MS	Schrader/Mini Schrader + BS Probe
O2TWIN-MS2	Mini Schrader Adapter + BS Probe



O2TWIN



O2TWIN-



O2TWIN-MS2

01491 527027

Buster ICU Cage

Code	Size
ICU-LGEHM	ICU Cage Large with Heat Mat
ICU-MEDHM	ICU Cage Medium with Heat Mat
ICU-SML	ICU Cage Small

Buster ICU Cages are collapsible, portable and can be set up in the prep room or any appropriate sit.

They fit standard stainless steel kennels.

They allow for the provision of oxygen or heat and also allow for the cooling of animals.

They can also be used as an anaesthetic chamber provided a co-axial circuit is used.

Includes...

1 x Carry Bag

1 x ICU Cage

1 x Mat

Buster Gel Packs (1 x S, 2 x M, 4 x L)

Oxygen Accessories Pack

6 x Venturi Nebuliser, T Piece, Cap 2.1m oxygen tubing.

BUSTER Electric heat pad—Medium and Large BUSTER ICU Cages only.

See Page 86 for the Vetronic Oxygen Analyser



Bodok Seals & 'O' Rings

Code	Description
BODOK	Bodok Seal
ORINGBN	Bullnose O Ring
ORINGVAP	Vaporiser O Ring



Cylinder Keys

Code	Description
CKBN	For Bullnose Cylinders
CKPI	For Pin Index Cylinder (Ratchet Type)
CKPIE	For Pin Index Cylinder (Economy)



Bullnose



Pin Index Ratchet



Pin index Economy

01491 527027

Jugular Catheters / CVCs—Infusion Concepts

Kit contains: Catheter, movable suture wing, scalpel and handle, guide wire, Seldinger introducer, dilator, and non latex injection caps.

Code	Lumen	Size
JC1308	1	3FR (20G), 8cm
JC1310	1	3FR (20G), 10cm
JC1313	1	3FR (20G), 13cm
JC1320	1	3FR (20G), 20cm
JC1408	1	4FR (18G), 8cm
JC1410	1	4FR (18G), 10cm
JC1413	1	4FR (18G), 13cm
JC1515	1	5FR (16G), 15cm
JC1530	1	5FR (16G), 30cm
JC1620	1	6FR (14G), 20cm
JC2406	2	4FR (22&22G), 6cm
JC2408	2	4FR (22&22G), 8cm
JC2410	2	4FR (22&22G), 10cm
JC2412	2	4FR (22&22G), 12cm
JC2510	2	5FR (18&22G), 10cm
JC2515	2	5FR (18&22G), 15cm
JC2720	2	7FR (14&22G), 20cm
JC2730	2	7FR (14&29G), 30cm

Code	Lumen	Size
JC3510	3	5.5FR (20, 22 & 22G), 10cm
JC3515	3	5.5FR (20, 22 & 22G), 15cm
JC3715	3	7FR (16, 18 & 18G), 15cm
JC3720	3	7FR (16, 18 & 18G), 20cm
JC3730	3	7FR (16, 18 & 18G), 30cm



Guide Wires

Code	Make	Size
GW350	Infusion Concepts	3F x 50cm (0.018")
GW460	Infusion Concepts	4F x 60cm (0.021")
GW550	Infusion Concepts	5F x 50cm (0.025")
GW6770	Infusion Concepts	6-7F x 70cm (0.035")
WG4560	Surgivet	0.045" x 60cm for use with 10fr or 12fr



Arterial Catheters

Code	Size
AC2080	Catheter set 20G, 80mm
AC2280	Catheter set 22G, 80mm



01491 527027

Surgivet Clear View Foley Catheters

Closed-end silicone catheter with distal balloon cuff used for intermittent drainage of Urine from the bladder or contrast studies of urogenital tract.

- Ribbed balloon provides even inflation and aids in retaining the catheter inside the bladder.
- Recommended to only be used with PTFE coated wire guides
- Sterile
- Radiopaque


Available individually or in box quantities

Code	Size	Box Qty	Box Code
FCS0530	5F x 30cm	10	FCS0530/10
FCS0555	5F x 55cm	10	FCS0555/10
FCS0630	6F x 30cm	10	FCS0630/10
FCS0655	6F x 55cm	10	FCS0655/10
FCS0830	8F x 30cm	10	FCS0830/10
FCS0855	8F x 55cm	10	FCS0855/10
FCS1030	10F x 30cm	10	FCS1030/10
FCS1055	10F x 55cm	10	FCS1055/10
FCS1230	12F x 30cm	10	FCS1230/10
FCS1255	12F x 55cm	10	FCS1255/10
FCS1455	14F x 55cm	10	FCS1455/10
FCS1655	16F x 55cm	10	FCS1655/10
FCS1855	18F x 55cm	10	FCS1855/10
FCS2065	20F x 65cm	10	FCS2065/10
FCS2265	22F x 65cm	10	FCS2265/10



Clear Silicone with Guide Wires

Code	Size
FCS0630GW	6F x 30cm
FCS0655GW	6F x 55cm
FCS0830GW	8F x 30cm
FCS0855GW	8F x 55cm
FCS1030GW	10F x 30cm
FCS1055GW	10F x 55cm
FCS1235GW	12F x 35cm



01491 527027

Buster Dog Catheters

Code	Description
CDU13500	1.3mm x 500mm (4FG)
CDU16500	1.6mm x 500mm (5FG)
CDU20500	2.0mm x 500mm (6FG)
CDU26500	2.6mm x 500mm (8FG)
CDU33500	3.3mm x 500mm (10FG)

Female luer lock fitting

- Rigid though flexible polypropylene catheter tubing for easy introduction
- Rounded end and atraumatic side holes to avoid tissue damage
- User friendly blister packaging
- 12/pk



KatKath™ Catheter

Code	Description
KAT3511	Standard KatKath 3.5FR x 11cm. BOX OF 10
KAT3514	Standard KatKath 3.5FR x 14cm BOX OF 10
KAT3518	Adjustable KatKath 3.5FR x 18cm. Box of 10



Standard

Simple to use—unblock the cat, leave in place

Non-reactive material—low friction. Vital when dealing with an inflamed oedematous urethra

End hole—allowing concurrent flushing during placement

Available with a rotating suture collar—allowing natural rotation when in situ

Kink and crush resistant without the use of a stylet

Tapered distal tip—allowing atraumatic catheter placement

Adjustable has an adjustable wing



Adjustable

‘Little Herbert’

Code	Size
TCLA	Little Herbert Luer Lock Adapter

Allows for firm connection of drainage lines to urinary catheters without interfering with the comfort factor.



01491 527027

IV Pressure Bags

Riester Metpak

- Sturdy cotton cuff in blue, with suspension loop, washable up to 60°C
- Precise reading of the level in the bag
- Chrome-plated manometer with easy-to-read 49 mm diameter aluminium scale up to 300mm Hg
- Specially hardened copper-beryllium membrane
- No zero point setting required
- Latex pad, resistant to pressure
- Latex-free inflation bulb



Code	Description
IVPB05	Riester Matpak 500ml
IVPB10	Riester Matpak 1000ml
IVPB30	Riester Matpak 3000ml
IVPB50	Riester Matpak 5000ml

Semi Disposable

Code	Description
IVPBD05	Semi-Disposable 500ml
IVPBD10	Semi-Disposable 1000ml
IVPBD30	Semi-Disposable 3000ml



- Clear sleeve around bag enables users to view pressurised fluids and text
- Durable construction, will not rip or tear
- Palm size, high volume bulb for quicker inflation
- Sturdy loop hanger
- Latex free, Smooth cuff material offers wipe-clean surface
- Easy to read, fully enclosed pressure gauge enables 360 degree viewing


Clear Re-usable

Code	Description
IVPB05CC	500ml Clear Pressure Bag
IVPB10CC	1000ml Clear Pressure Bag



Mantis IV Hanger

Code	Description
MIVH	Mantis IV Hanger



01491 527027

Extension Sets

Code Description

ESM25200	Extension Set, Mini Bore 200cm
ESWB4125	Extension Set, Wide Bore 4.0mm x 1255mm



3M™ CuroS™ Disinfecting Port Protectors

Disinfects in 1 minute. Protects I.V. access points for up to 7 days if not removed.

Helps reduce the risk of contaminants from entering the I.V. port through the catheter, post-insertion

Brightly coloured to help clinicians verify and measure compliance



Code Description

WWJIM001-270	3M™ CuroS Disinfecting Port
--------------	-----------------------------

BD 3 Way Connecta™

Code Description

3WSC	BD Connecta 3 Way Stop Cock
------	-----------------------------

Available singularly or in boxes of 100.



Octopus 2

Code Description

841264	Double lumen neonatal connector extension set with anti reflux valves and clamps
--------	--



01491 527027

Biopsy Needles

Carefusion Jamshidi Bone Marrow/Aspiration Needle



Code	Size
NB11	11G x 10cm
NB13	13G x 8.9cm
NB15	15G x 7.9cm
NB18	18G x 7.9mm

Jorvet

These bone marrow needles allow for an actual biopsy versus the aspiration other needles provide. A special reamer is included to allow retrieval of actual tissue sample.



Code	Size
NBA08	08G x 4"
NBA11	11G x 4"
NBA13	13G X 4"

Surgivet Vet-Core Biopsy Needle



Used for soft tissue core biopsy.

Code	Size
VC1409	14GA x 9cm
VC1415	14GA x 15cm
VC1609	16GA x 9cm
VC1615	16GA x 15cm
VC1809	18GA x 9cm

01491 527027

PalmSat VET Pulse Oximeter

The 2500A VET handheld pulse oximeter is a universal tool with unmatched versatility and cost-effectiveness for all veterinary SpO₂ monitoring and research applications. Compact and easy to use, the 2500A VET is proven accurate for pulse rates up to 450 beats per minute (BPM) and is ideal for monitoring during surgeries and dental procedures. As the industry benchmark for durability and performance, Nonin veterinary pulse oximeters have gained the confidence of veterinary professionals worldwide.

Code	Description
MON2500AV	PalmSat 2500AV Pulse Oximeter with Lingual Sensor and Black Carry Case
MON2500AV-02	PalmSat 2500AV Pulse Oximeter with Transflectance Sensor and Black Carry Case

Spare Sensors

Code	Description
SP02LS-NON1M	Nonin Lingual Sensor 1M Cable
SP02TP-NON1M	Nonin Transflectance Sensor 1M Cable
SP02WS-NON1M	Nonin Wrap Sensor 1M Cable
2500AVCASE	Black Carry Case for PalmSat
2500C	Charger Stand Kit
MON2500B	Replacement Battery Pack



See also Nonin SpO₂ sensors on Page 68.



Charger Kit & Battery Pack



01491 527027

Edan H100B Veterinary Pulse Oximeter

Standard System:

- Main Unit
 - LCD Screen
 - RTC display
 - SpO₂ and Pulse Rate Measurement
 - Display Numeric and Waveform of SpO₂ Simultaneously
 - Convenient AA Size for up to 48 Hours Working
 - Up to 100 IDs and 300 hours data storage capability for continuous monitoring
 - The latest 10 minutes trend graph and table of SpO₂ and Pulse Rate can be reviewed in the screen
 - Compatible with Nellcor VETSAT Veterinary sensor
 - Pitch tone
- Standard Accessories:

- EDAN Veterinary Pulse Oximetry
- Sensor
- AA Size Battery
- Carrying Case
- User Manual
- VE-H100B Quick Reference Card



Code	Description
MON-H100B	H100B Pulse Oximeter
CASE-H100B	Carry Case for H100B
CHAR-H100B	Charger Stand for H100B
SILI-H100B	Silicone Boot for H100B
SP02EC-01-13.21001	SpO ₂ Extension Cable
SP02EP-02.01.110498	SpO ₂ Vet SpO ₂ Sensor



Carry Case



Charger Stand



Silicone Boot

01491 527027

SpO₂ Sensor Clips

Code	Description
SP02CLIPS	Oxygen Sensor Clips Set of 2, Large & Small
MAOSCLIP-NC	Oxygen Sensor Clip for Nellcor
V1709	'C' Clip replacement for use with Surgivet V1707



SP02CLIPS



MAOSCLIP-NC



V1709

SpO₂ Sensors—Surgivet

Compatible with Surgivet Monitors V3304, V3402, V3404, V6004, V9004, V9200, V9230, V8400D, V3395 and V1030.



SP02S-V1700 This reflectance sensor can be applied to the ventral tail base of a patient and secured with a cohesive bandage.

SP02S-V1703 The Universal 'Y' sensor is designed to be used on areas of thicker tissue. It is the standard clip used in most small animal practices.



SP02S-V1707 The 'C' sensor is perfect for cats, dogs and horses. The sensor should be placed on the thigh, metatarsal, or meta-carpal for smaller patients. The sensor should be placed over the Achilles tendon, tongue, prepuce, vulva, or through the toe webbing on large patients.

01491 527027

Mindray

SP02EC-MR

Interface Cable for Mindray and Passport Monitors. Equivalent to Mindray 010-20-42594. To be used with SP02EPSQ-MR




SP02EC-IMEC

2.4 metre interface Cable for Mindray IMEC. To be used with SP02EPSQ-MR.




SP02EPSQ-MR

Patient End Lingual Probe equivalent to Mindray 115-036222-00. Supplied with Small and Large Clip.



SP02DC-MR

Direct Cable for Mindray and Passport Monitors. Supplied with Small and Large Clip.



Nellcor

SP02-S810-01P0

Nellcor Direct Cable with Lingual Sensor



SP02EP-FD

Nellcor Lingual Sensor (Patient End)




01491 527027

GE Healthcare/Datex

SP02EPDC-DX Direct 3 metre Cable equivalent to GE TS-E4-N. Supplied with Small and Large Clip



SP02EPDC-GE Direct 3 metre Cable equivalent to GE TS-E4-GE. Supplied with Small and Large Clip



SP02TS-E4-N Direct 4 metre Cable with Lingual Probe. *Genuine GE Part.*



SP02TS-E4-GE Direct 4 metre Cable with Lingual Probe. *Genuine GE Part.*



SP02IC-NCDX Interface Cable for GE Monitors with Nellcor Technology (use with SP02EP-FD on Page 68)



Nonin

SP02DC-NON09 Nonin Lingual Ear Probe. Supplied with Small and Large Clips. 90cm in length.



SP02DC-NON30 Nonin Lingual Ear Probe. Supplied with Small and Large Clips. 3 metres in length.

01491 527027

Masimo



SP02EP-MAS

Masimo Ear Probe

1895-LNCS-TC1



SP02MP-MAS

SpO2 Multisite Reusable Sensor Masimo

2258-LNCS-YI



SP02IC-MASM20-04

SpO2 Interface Cable for Masimo

4252-RED-LNC-M20

Viamed

SP02DC-VE6500 SpO2 Lingual Ear Probe
for use with Viamed Pulse Oximeter.



Fukuda-Denshi

SP02DP-FD

SpO2 Lingual Ear Probe for use with Fuku-
da Denshi Monitors. DEC10.



01491 527027

Ambu

- Highly conductive wet gel - ensures reliable traces
- Superior adhesion - prevents false alarms
- Comfortable foam backing - is easy to use
- Unique offset connector - prevents artifacts from disrupting readouts
- High quality Ag/AgCl sensor - ensures excellent trace quality



ECGSM (N-00-S)
Ambu® BlueSensor N
Pack of 25



ECGPMED (M-00-S)
Ambu® BlueSensor M
Pack of 50



ECGPLA (L-00-S)
Ambu® BlueSensor L
Pack of 25



ECGPXLA (VL-00-S)
Ambu® BlueSensor VL
Pack of 25



ECGP/R-00-S
Ambu® BlueSensor R
Pack of 25



ECGP4MM
Ambu® BlueSensor M
Pack of 50



ECGP/SP-00-S
Ambu® BlueSensor R
Pack of 50



The Ambu WhiteSensor 4570M features a wet gel with good adhesion to ensure a good signal quality during paediatric short-term monitoring ECG. Thanks to the flexible foam backing material and the ergonomic shape, the electrode ensures ease of use and comfort during application. It is radiolucent and MR Conditional.

ECGMRI (40713)
Ambu® White Sensor
Pack of 30

MRI SAFE



01491 527027



Skintact FS-50 pressure electrodes. Designed for rest and exercise ECG.

"Aqua wet" adhesive gel for better grip.

ECGFS50

Skintact Electrodes 50mm dia



Defibrillator Pads



Code Description

ECGLPE Physio Control LIFEPAK EDGE System Electrodes with QUIK-COMBO connector system

1 x set of electrodes (11996-000093)

EGCLPE-A Physio Control LIFEPAK EDGE System Electrodes with QUIK-COMBO connector system (adult)

1 x set of electrode (1196-000017)

Compatible with:

LIFEPAK 12, LIFEPAK 15, LIFEPAK 20



Code Description

ECG-MR62 Mindray BeneHeart MR62 Adult/Paediatric Electrode Pads

EGC-MR63 Mindray BeneHeart MR63

Adult/Paediatric Electrode Pads



01491 527027

ECG MRI Non-Magnetic Quadtrode

Code	Description
ECGPQ-A	Adult/Paediatric Quadtrodes Pack of 25
ECGPQ-N	Neonate Quadtrodes Pack of 25

Four electrodes in a single, easy to use disposable patch

Designed for general adult MRI use with a large electrode contact area to provide optimal ECG performance. This unique design incorporates four electrodes into a single, easy to use disposable patch. Easy to apply, single disposable pad.

Designed Specifically for MR Use

Disposable Line for infection control

Reusable Line for reduced operating costs

Provides optimal performance and safety

Reduces patient preparation time



ECG Clips

Code	Description
ECGCC	Comfy Clips. Pack of 4
ECGCIMEC	Veterinary Alligator Clip for IMEC. Pack of 5



Comfy Clips



IMEC Clips

ECG Adapters

Code	Description
ECGBC4	4mm Banana to Clip, Set of 10
ECGBC3	3mm Banana to Clip, Set of 10
ECGBSN	Banana Clip to Snap. Set of 10
ECGBPA	Banana Plug Adapters. Pack of 4



ECGBC4 & ECGBC3



ECGBSN



ECGBPA

ECG Gel

Code	Description
ECG-EG60G	Electrode Gel Spectra 360 60g
ECG-EG250G	Electrode Gel Signagel 250g
NUPREP	Nuprep Skin Prep Gel 114g. Pack of 3



01491

527027


Datex-Ohmeda

ECGTC-TX-2395-I0

ECG Trunk Cable for Datex/GE (545300).
To be used with ECGL-LX3-90P-I0 or
ECGL-LX390S-I0



ECGL-LX3-90P-I0 Pinch Clamps
ECGL-LX3-90S-I0 Snap
ECG Lead Wire for Datex/GE
(545315). To be used with ECGTC-
TX-2395-I0




ECG-TQ-2586-I0

ECG Trunk Cable for Datex (2017003-003)
for use with ECGL-LQ-90P-I0 or ECGL-LQ-
90S-I0



ECGL-LQ-90P-I0 Pinch Clamps
ECGL-LQ-90S-I0 Snap
ECG Lead Wire for Datex (2017003-003) for
use with ECG-TQ-2586-I0



ECGL-C2395P-I0 Pinch Clamps
ECGL-C2395S-I0 Snap
ECG 3 Lead Cable with Pinch Clamps for
Datex.



ECGL-C2386P-I0 Pinch Clamps
ECGL-C2386S-I0 Snap Leads
ECG 3 Lead Cable with Pinch Clamps for
Datex.



ECGTC-10315


ECG Trunk Cable for Datex




01491 527027

Mindray

ECG3L-C2312P-I0 Pinch Clamps
 ECG3L-C2312P-I0 Snap
 ECG Single Cable for Mindray. 12 Pin.



ECGTC-TR-2512-I0
 ECG Trunk Cable for Mindray.
 To be used with ECGLW-LR3-90P0



ECGLW-LR3-90P0 Pinch Clamps
 ECGLW-LR3-90S0 Snap

ECG Lead Wire for Mindray. To be used
 with ECGTC-TR-2512-I0



ECGL-C2345S-I0
 ECG Single Cable for Mindray. 3
 Lead. 6 Pin



01491 527027

Fukuda Denshi

ECGL-C2359P-I0 Pinch Clamps

ECGL-C2395S-I0 Snap


ECG Direct 3 Lead Cable for Fukuda Denshi.



ECGL-LMB3-90P-I0 Pinch Clamps


ECGL-LMB3-90S-I0 Pinch Snap

ECG Leadwire for Fukuda Denshi. 3 Leads. Use with ECG-TM-2599-I0



ECG-TM2599-I0

ECG Trunk Cable for Fukuda Denshi. Use with ECGL-LMB3-90-I0




Nihon Kohden

ECGL-BR903P Pinch Clamps

ECGL-B903S Snap

ECG Leadwire for use with ECGTC-JC-906PA



ECG-JC-906PA

ECG Trunk Cable for Nihon Kohden



01491 527027

NIBP Cuffs

Available individually or in boxes of 20 supplied with Male Luer Connectors

Larger sizes available.

Please note, we used to supply both soft and vinyl cuffs. However, the vinyl ones we now supply are also very soft to the touch and we therefore took the decision to just supply one type. We can get the soft ones if that is your preference.

Vinyl Double Tube

Single Code	Size	Box Qty	Box Code
NIBPCDT1V	Size 1 3-6cm	20	NIBPCDT1V/20
NIBPCDT2V	Size 2 4-8cm	20	NIBPCDT2V/20
NIBPCDT3V	Size 3 6-11cm	20	NIBPCDT3V/20
NIBPCDT4V	Size 4 7-13cm	20	NIBPCDT4V/20
NIBPCDT5V	Size 5 8-13cm	20	NIBPCDT5V/20
NIBPCDT6V	Size 6 12-19cm	20	NIBPCDT6V/20

Vinyl Single Tube

Single Code	Size	Box Qty	Box Code
NIBPCST1V	Size 1 3-6cm	20	NIBPCST1V/20
NIBPCST2V	Size 2 4-8cm	20	NIBPCST2V/20
NIBPCST3V	Size 3 6-11cm	20	NIBPCST3V/20
NIBPCST4V	Size 4 7-13cm	20	NIBPCST4V/20
NIBPCST5V	Size 5 8-13cm	20	NIBPCST5V/20
NIBPCST6V	Size 6 12-19cm	20	NIBPCST6V/20



Soft Double Tube

Single Code	Size	Box Qty	Box Code
NIBPCDT1	Size 1 3-6cm	20	NIBPCDT1/20
NIBPCDT2	Size 2 4-8cm	20	NIBPCDT2/20
NIBPCDT3	Size 3 6-11cm	20	NIBPCDT3/20
NIBPCDT4	Size 4 7-13cm	20	NIBPCDT4/20
NIBPCDT5	Size 5 8-13cm	20	NIBPCDT5/20
NIBPCDT6	Size 6 12-19cm	20	NIBPCDT6/20

Soft Single Tube

Single Code	Size	Box Qty	Box Code
NIBPCST1	Size 1 3-6cm	20	NIBPCST1/20
NIBPCST2	Size 2 4-8cm	20	NIBPCST2/20
NIBPCST3	Size 3 6-11cm	20	NIBPCST3/20
NIBPCST4	Size 4 7-13cm	20	NIBPCST4/20
NIBPCST5	Size 5 8-13cm	20	NIBPCST5/20
NIBPCST6	Size 6 12-19cm	20	NIBPCST6/20



01491 527027



Adapts to 1-tube or 2-tube BP monitors

Code	Size
NIBPCDR1	Size 1 3-6cm
NIBPCDR2	Size 2 4-8cm
NIBPCDR3	Size 3 6-11cm
NIBPCDR4	Size 4 7-13cm
NIBPCDR5	Size 5 8-13cm



NIBP Accessories

Code	Description
NIBPACTT	Blood Pressure Airhose Tubing 3 .2mmID/6.4mm OD. 1 metre
NIBPLSC	NIBP Male Slip Connectors
NIBPLSCFM	NIBP Luer Slip Connector Female, Metal
NIBPHP-MR	NIBP Hose Pin for Mindray
NIBPCBN	NIBP Connector Bayonet—Neonate

We are able to source many different NIBP Cuff Connectors, so if you need one that is not listed here, please contact us on 01491 527027 or sales@acevetsupplies.co.uk.



Male Slip Luer



Female Slip Luer



Hose Pin for Mindray



Bayonet—Neonate

Aneroid Sphygmomanometer Palm Model

- Bright, easy to read dial surface housed in tough ABS plastic
- One handed control for easy air release with either hand
- Precision mechanism ensures smooth performance & immediate response
- Compact enough to carry in zip-up case supplied
- Measurement range: 0-300mmHg
- Accurate to ± 3 mmHg
- 1 year warranty

Code	Description
AS-BK2012	Aneroid Sphygmomanometer



01491 527027

GE/Datex-Ohmeda

NIBPH2017009-001

1 Piece NIBP Hose for GE Marquette.
Neonatal 2.4M



NIBPH2017009-003

1 Piece NIBP Hose for GE Marquette.
Neonatal 3.6M



NIBPH877514


1 Piece NIBP Hose for GE Marquette.
Neonatal 2.4M



Mindray

NIBPH6200-30-09688

1 Piece NIBP Hose Mindray/
Datascope



NIBPH-ASN-15-200

1 Piece NIBP Hose Mindray/
Datascope



Fukuda-Denshi

NIBPH-AS-04-200

1 Piece NIBP Hose Fukuda Denshi and
Mindray/Datascope. 2.5M



Please ask us for any other NIBP Cables you may need.

Also for extra long MRI cables.

01491 527027

IBP Transducer Cables

We can source many manufacturer's IBP cables some of which are detailed below.

Please advise which Transducers you use and the make of your Multi Parameter Monitor.

Contact our sales office on 01491 527027 or email sales@acevetsupplies.co.uk



ARGON



B. BRAUN



BD



EDWARDS



MEDEX ABBOTT



MEDEX LOGICAL



UTAH



GE—MARQUETTE

IC-MQ-ED0 Edwards

IC-MQ-BD0 BD

IC-MQ-MX0 Medex Abbott

IC-MQ-MX10 Medex Logical



IBPDAC-GE Dual Adapter



DATEx OHMEDA

IC-DX-ED0 Edwards

IC-DX-BD0 BD

IC-DX-MX0 Medex Abbott



FUKUDA-DENSHI


IC-FD-ED0 Edwards

IC-FD-BD0 BD

IC-FD-MX0 Medex Abbott

01491 527027

IBP Transducer Cables



MINDRAY-DATASCOPE (12 PIN)

IC-MR-ED0 Edwards

IC-MR-BD0 BD

IC-MR-MX0 Medex Abbott 001C-30-70759



IBPDAC-MR12P Mindray 12 Pin Dual Adapter



MINDRAY-DATASCOPE (6 PIN)

KA-6P-ED Edwards

IBP Transducer Kits



EDWARDS

IP-ED-300/20 Box of 20

IP-ED-300 each



MEDEX ABBOTT

IP-MX-300/20 Box of 20


IP-MX-300 each



B. BRAUN

IP-BB-300/20 Box of 20

IP-BB-300 each



BD

IP-BD-300/20 Box of 20

IP-BD-300 each

01491 527027

Vetronic MiniTemp

Code	Description
MINITEMP	Vetronic Minitemp Unit, includes choice of probe
MT400RP	Rectal Probe for 400 Series
MT400SP	Surface Probe for 400 Series
MT415RP	Rigid Probe for 415 Series
MT415FP	Flexible Probe for 415 Series

The MiniTemp is a small, hand-held battery operated temperature monitor designed specifically for use with animals. The monitor supports two common ranges of temperature sensor – the industry-standard YSI 400-compatible range and the 8415 miniature range. The miniature sensors measure just 1.2mm in diameter and are suitable for use with small mammals and exotic species. The standard temperature sensors measure 4mm in diameter and are suitable for all larger species. The introduction of the concept of a comfort zone for temperature monitoring is designed to enable the user to see at a glance if the animal is within the comfortable range of body temperatures. The comfort zone is designed for use with mammals and has a lower limit of 36.6°C (97.9°F) and an upper limit of 39.6°C (103.2°F). This relates to one degree above and two degrees below normal body temperature. When the temperature being monitored is within the comfort zone the LED at the top of the unit flashes green. For temperatures outside the comfort zone, the LED flashes red. The unit is housed in a robust rubber boot resistant to drops and knocks. The boot also has a built-in tilt stand for improved viewing angles.

Mechanical

- Weight 125g (225g with -fitted rubber boot)
- Dimensions 86mm x 145mm x 34mm
- Construction Rugged ABS plastic case housed in a rubber boot

Electrical

- Screen size 25mm x 18mm
- Screen type 128 x 64 pixels, transfective LCD
- Electrical supply Alkaline or rechargeable 9v PP3 battery only.
- Battery life 200 hours run time, six months standby

Temperature Sensors*

Temperature range 5°C to 45°C

Accuracy +/- 0.1°C within specified range. Accuracy outside of this range is unspecified

Standard 400 Series:

Rectal type 2m x 4mm, terminated in 6.35mm standard jack plug

Surface type 2m x 8mm disc, terminated in 6.35mm standard jack plug

Miniature Series (8514):

Rigid probe 1.2mm tip housed in a 2mm x 80mm rigid metal probe

Flexible probe 1.2mm tip housed in a 2mm x 270mm flexible sheath, terminated with a 3.5mm jack plug.

*MiniTemp can be fitted with a module to support either the standard sensors, or the miniature sensors, but not both. Requirements must be specified when ordering.



01491 527027

Veterinary Thermometer

- 10 second measurement time
- Auto shut off after 10 minutes
- 32.0°C to 42.9°C measurement range
- Clear digital changeable display (°C / °F)
- Waterproof



Easy to use battery operated electronic thermometer with chart giving Hobday's specification (the normal body temperature for a variety of animals).

The temperature range of this thermometer is 32 to +42°C and it displays the temperature in 0.1°C increments. It has an accuracy of +/-0.1°C between 35 and 39°C, otherwise +/-0.2°C.

It uses a single LR41 or equivalent battery.

Code	Description
THERMVET	Veterinary Thermometer

Flexible Tip Thermometer

- Flexible tip
- Auto shut off
- 1.5v button battery
- Last memory reading
- Bleeper function
- Size: 134 x 22 x 14mm



Code	Description
THERMFLEX	Flexible Tip Thermometer
THERMPC100	Thermometer Probe Cover. Pack of 100



Infrared Tympanic Ear Thermometer

- Quick and Accurate measuring time <1 second.
- Long life: over 4000 readings with 2x AAA batteries.
- Automatic Power off.
- Display range: 34°C – 44°C.
- Stores last 10 readings.
- Low battery warning.



Code	Description
THERMEAR	Ear Thermometer with Case
THERMEPC20	Ear Thermometer Probe Covers. Pack/ 20.

01491 527027

Temperature Probes


Code	Description
TPMR401	Temperature Probe with Jack Plug Large

TPMR402	Temperature Probe with Jack Plug Small
---------	--




Code	Description
TPMR401B	Temperature Probe Large for Mindray Beneview

TPMR402B	Temperature Probe Small for Mindray Beneview
----------	--



Code	Description
TP-DMQ-AG0	Temperature Probe Large for Datex/GE 11 Pin Flat




Code	Description
TS-D2252-AS0	YSI Compatible Reusable Temperature Probe

TS-T004-160	Compatible Disposable, Adhesive Temperature Probe Covers. Pack of 16.
-------------	---



Code	Description
TPA-DMQ-AD0	Temperature Probe Adapter Cable for Datex/GE 11 Pin Flat. To allow use Jack Plug Probe.



Gas Sample Lines

Available individually or in box quantities

Code	Ends	Length	Box Code	Box Qty
GSLMF3	Male/Female	3 metres	GDLMF3/50	50
GSLMM2GE	Male/Male. GE Healthcare	2 metres	GSLMM2GE/10	10
GSLMM3	Male/Male	3 metres	GSLMM3/50	50
GSLMM3GE	Male/Male. GE Healthcare	3 metres	GSLMM3GE/10	10
GSLMM6GE	Male/Male. GE Healthcare.	6 metres	GSLMM6GE/5	5
LUERFF	Female to Female Luer Connector			
SSA2215	Side Stream Adapter 22/15mm Female with Sample Port. Dead space 6.6ml.			



LUERFF Female to Female Luer Connector (use on GSLMF3 to achieve 2 female ends)



SSA2215

Single Code	Description	Length	Box Code	Box Qty
GSLMS-Y	Gas Sampling Line with T Connector, Microstream, Yellow. Long Term—up to 72 hours.	2.1 metres	GSLMS-Y/25	25
GSLMS-O	Gas Sampling Line with T Connector, Microstream, Orange. Short Term—up to 8 hours	2.1 metres	GSLMS-O/25	25

Designed to connect to low flow (50ml/min) Microstream™ enabled monitors and provide a crisp, accurate waveform

- Full range of sampling options including single nostril, nasal cannula and intubated airway adapter to cover a wide range of patients and applications
- Colour coded packaging to make selecting the right item easy
- 0.2-micron filter included on all lines to protect the monitor from contamination with streamlined design to avoid patient discomfort



01491 527027

Water Traps and Filters



MAWT-8208
Surgivet Water Trap 8208.



MASRP15
Monitoring Line Hydrophobic Filter with Male and Female Luer.



CR664523
Water Trap Adapter Microflow Sample Line



MAWT-3010487
MEDRAD Water Trap. 3010487

Datex-Ohmeda/GE



MAWTDOBK
D'Fend Water Trap, Datex-Ohmeda.
Black 876446-HEL



MAWTDOMI
D'Fend Water Trap, Datex-Ohmeda.
Mini. 8002174



MAWT - M1182629
D-Fend Pro Water Trap.
Datex-Ohmeda Grey.



MAWT-M1200227
D-Fend Pro Water Trap.
Datex-Ohmeda Green.

Mindray



MAWTMR
Mindray Adult/Paediatric Water Trap. 60-13100-00



MAWTM02C
Mindray Adult/Paediatric Water Trap.



MAWTMRN
Mindray Neonatal Water Trap. 100-000080-00



MAWTMT5N
Mindray Neonatal Water Trap. 9200-10-10574


01491 527027

D-Lite Connectors & Tubing, GE

Code Size

MA DLITE D-Lite Sensor

MA PLITE Pedi-Lite Sensor



Paediatric Sensor

Code Size

MADLST2M D-Lite Sensor Tubing 2 Metres

MADLST3M D-Lite Sensor Tubing 3 Metres



Intersurgical Spirometry Sets

Code Size

INT2740003 Adult Spirometry Set 3 metres

INT2740006 Adult Spirometry Set 6 metres

INT2741003 Paediatric Spirometry Set 3 metres

INT2741006 Paediatric Spirometry Set 6 metres



Adult Spirometry Set

Code Size

INT2742000 Adult Spirometry Sensor

INT2743000 Paediatric Spirometry Sensor



Paediatric Spirometry Set



Adult Sensor



Paediatric Sensor

Manometer Lines

Code Size

ML210MFL Manometer Line 210mm Male/
Female Luer Connectors



01491 527027

Vetronic ICON Oxygen Analyser

Icon is a new in-circuit oxygen monitor designed for use in veterinary operating theatres and intensive care wards.

The Icon unit can be placed on the Fresh Gas Outlet of an anaesthetic machine or within the rebreathing limbs of a circle system, wherever the oxygen concentration needs to be known.

The Icon unit uses a single AA battery that has a lifetime of approximately 1 year when used for 8 hours a day every day. The sensing element is a longlife galvanic sensor that has a working life of approximately 2 years.



Code	Description
ICON	ICON Oxygen Analyser

Datex-Ohmeda Oxygen Cell

Code	Description
M-10	M-10 Oxygen Cell 6050-0004-110



Other types available on request.
Email
sales@acevetsupplies.co.uk or
call 01491 527027.

Oesophageal Stethoscopes

Code	Size	Code	Size
OS12SH	12fr x 500mm	OS12LO	12fr x 1100mm
OS18SH	18fr x 500mm	OS18LO	18fr x 1100mm
OS24SH	24fr x 500mm	OS24LO	24fr x 1100mm



Ear Piece for Oesophageal Stethoscope

Code	Size
OSSTETH	Ear Piece only
SET2	Set of 2 Soft Littman Ear Tips



FOB Watches

Code	Size
FOBWAT	Please specify colour
FOBWAT14	Pack of 14 (2 of each colour)

- New improved design
- Japanese Quartz movement
- Pin clasp closure
- Made from silicone based material
- Ideal for infection control
- Contains 1 x watch battery (SR626SW)
- 2 year battery guarantee



01491 527027

Suction Receiver Jar, Autoclavable

Autoclavable polysulphone collection jar, complete with cap assembly and overflow safety valve.

Code	Description
SRJ15	1500ml
SRJ20	2000ml
SRJRC15	1500ml with Rail Clamp
SRJRC20	2000ml with Rail Clamp
SRJVV15	1500ml with 'V' Wedge
SRJVV20	2000ml with 'V' Wedge



'V' Wedge

Rail Clamp

Suction Catheter, PVC. Pack of 10

Code	Size	Code	Size
SC0610	6fr	SC1410	14fr
SC0810	8fr	SC1610	16fr
SC1010	10fr	SC1810	18fr
SC1210	12fr		



- Manufactured from transparent medical grade PVC allowing clinicians to visualise any blockages quickly.
- Atraumatic tip with double offset eye to provide relief if the distal hole becomes occluded.
- Smooth surface for easy insertion.
- Different connector ends available for compatibility with a range of suction units and aspirators.
- Colour coded according to size to make visual identification easy.
- Supplied sterile in individual easy access sachets.

Suction Tubing

Code	Size
ST6518	6.5mm ID x 1.8M Length
ST6530	6.5mm ID x 3.0M Length

- Transparent tubing allows blockages to be visualised quickly.
- Thick walls prevent the tube from collapsing under high negative pressure.
- Flexible universal connectors provide a secure connection to the handle and source.
- A range of lengths available.
- Supplied sterile in individual easy access sachets.



01491 527027

Suction Yankauer Handle

Available individually or in boxes of 20

Code	Description	Box Qty	Box Code
SYVC431001	Suction Yankauer Handle Vented Crown Tip	20	SYVC431001/20
SYVP431004	Suction Yankauer Handle Vented Plain Tip	20	SYVP431004/20

- Transparent suction handles for clear visualisation during suction. Similar in shape to traditional metal Yankauer suckers.
- Available with plain or crown tip, with or without vents to control suction.
- Also available packed with suction tubing and handles for maximum convenience.
- Supplied sterile in individual easy access sachets.



Manual Suction Pump

Code	Size
SPMCOM	Suction Pump Complete
SPMRDJ	Replacement Jar with Adult & Infant Catheters

- Hand powered, can be used anywhere
- Portable, compact and lightweight
- Easy to use with one hand
- Auto stop when full



Suction Controller

The suction controller enables the vacuum to be set at any level from 0 to full pipeline vacuum. The vacuum gauge is marked from 0 to -100 kPa and 0 to -750 mmHg.

Code	Size
SC0100	Suction Controller with Direct BS Probe



Eschmann Suction Filter

Code	Size
SF-VP25	Suction Filter for Eschmann VP25, VP35, VP45. Box of 10.



01491 527027

Waste Gas Canisters

Code	Description
WAG001	Waste Gas Canister Single
WAG006	Waste Gas Canister Box of 6

- Contains activated carbon
- Absorbs 200g of organic waste anaesthetic agent
- Not suitable for use with N₂O
- Approximate maximum constant use—20 hours
- Discard when weight reaches 1400g
- Dispose by controlled incineration



Connectors & Tubing

Code	Size
INT1961	22F-22M (Connects 22mm tubing to the top of the WAG Canister)
INT1970	22M-30M
INT1971	22M-30F
INT1971001	30M-30F
GE2105488-016	Gas Return Adapter 22mm M—22mm F



INT1971



INT1970



INT1971001



INT1961



GE2105488-016

Code	Size
INT1574	22mm x 400mm Cuffed Length



APL Valve

Code	Description
INT1972000	Anaesthesia gas scavenging pressure relief valve 30F/30F with 4.2M 30mm Flextube
INT1972001	Anaesthesia gas scavenging pressure relief valve 30F/22M with 22mm Flextube, ≥ 4.8m

This in-line pressure relief valve is connected to the outlet port of the breathing system APL valve. The purpose of the valve is to allow a pressure release in the case of the AGSS transfer tube becoming occluded



01491 527027

MEC Receiving System

Conforms to ISO 8835-3

- MRI compatible
- Wall, rail or machine mounted
- Weighs 1 Kg, size 80mm X 390mm
- Supplied with Disposal and Transfer hoses
- Both Disposal Hose and Patient Inlet port swivel about 360° to ensure hose positioning and prevent occlusion
- 3m, 4m or 5m Disposal Hose
- 2.4m Transfer Hose
- Complete with Pressure Relief Valve.

Code	Size
12800000	Receiving System inc. 5m Disposable Hose and 2.4m Transfer c/w Pressure Relief Valve
12800013	Replacement Hose Assembly



Purair 80 AGSS

Code	Size
PURAIR80	Purair 80 Gas Receiving System



Designed as a stand alone scavenging unit for use with anaesthetic work stations that have an integrated patient air break

- Cost effective method of anaesthetic gas scavenging without the need for remote pipework
- Simple to install and factory set flow rates, so no commissioning is required
- Extraction capacity is 80 litres per minute to current European flow rates
- Conform to ISO 8835-3 and is used for the extraction of waste and excess gases
- Occlusion and fault alarm.

01491 527027

Key Fill Bottle Adapters

Code	Description
KFBA-ISO	Key Filler for Isoflurane
KFBA-SEV	Key Filler for Sevoflurane
KFBA-ISOM	Key Filler for Isoflurane MRI Compatible
KFBA-SEVM	Key Filler for Sevoflurane MRI Compatible



Pour Fill Bottle Adapters

Code	Description
PFBA-ISO	Pour Filler for Isoflurane
PFBA-SEV	Pour Filler for Sevoflurane



Easy-Fil Bottle Adapters

Code	Description
EFBA-ISO	Filler for TEC 7, TEC 8 and Aladdin 2 cassette - Isoflurane
EFBA-SEV	Filler for TEC 7, TEC 8 and Aladdin 2 cassette - Sevoflurane



'O' Rings

Code	Description
ORINGVAP	Vaporiser O Ring



Please call or email our Sales Department on
sales@acevetsupplies.co.uk or 01491 527027 for vaporiser prices.


01491 527027



Code	Description
INT21223M	3M Long Ayres T Piece with APL Valve & 0.5 litre bag
INT21226M	6M Long Ayres T Piece with APL Valve & 0.5 litre bag




Code	Description
CIRCSBC1530	Smooth Bore Y Circuit 15mm x 3m with 22F end connections
CIRCSBC1560	Smooth Bore Y Circuit 15mm x 6m with 22F end connections (Connections at 3m)



These circuits can be made to any length required. Call 01491 527027 or Email sales@acevetsupplies.co.uk for details

Code	Description
CIR2232	Circle Circuit 22mm x 3.2m
CIR1532	Circle Circuit 15mm x 3.2m
CIR2260	Circle Circuit 22mm x 6m
CIR1560	Circle Circuit 15mm x 6m



Code	Description
BAIN54	Bain 22mm x 5.4m (Intersurgical)



Code	Size
GSLMM6GE	Male/Male Luer Connectors 6M
GSLMM9	Male/Male Luer Connectors 9M



Code	Size
INT2740003	Adult Spirometry Set 3 metres
INT2740006	Adult Spirometry Set 6 metres
INT2741003	Paediatric Spirometry Set 3 metres
INT2741006	Paediatric Spirometry Set 6 metres

01491 527027

Code	Description
ECGPQ-A	Adult/Paediatric Quadtrodes Pack of 25
ECGPQ-N	Neonate Quadtrodes Pack of 25



ECGMRI
Ambu® White Sensor
Pack of 30

Full details on Page 73

MRI Safe Thermal Mattress

Designed exclusively for use in MRI
No MRI Signal Loss
Clinically Tested to Maintain Body Temperature
Available in 3 Sizes

- Small 510mm x 710mm
- Medium 610mm x 860mm
- Large 710mm x 1015mm



Full details on Page 49

MRI Compatible Disposable Laryngoscopes



Full details on Page 35

MRI Compatible Stethoscope

Code	Description
STETHMRI	MRI Compatible Stethoscope



MRI Bottle Adapters

Code	Description
KFBA-ISOM	Key Filler for Isoflurane MRI Compatible
KFBA-SEVM	Key Filler for Sevoflurane MRI Compatible



01491 527027

Syringe Labels

Code	Description
SLWMT	Wall Mounted Holder for 10 boxes of Syringe Labels
SLTT	Tidy Tray for 10 boxes of Syringe Labels


- Any colour and any wording available.
- Over 200 types held in stock
- No minimum order
- Non standard labels subject to a £25.00 plate charge



Please see back pages for a full list of our syringe labels.

Dose Labels

Code	Description
LAB-DOSE	Clear Vinyl Dose Label. Roll of 500.



Monitoring Labels

Code	Description
LAB-3029	Do Not Pull Me. Strip of 20
LAB-3022	Do Not Throw Away. Strip of 20



Information Labels

Code	Description
LAB-INFE	Infection Risk, Green Label. Roll of 1,000
LAB-DNR	D.N.R. Red Label. Roll of 1,000





01491

527027

Other Labels

Code	Description
LAB-FEED	Feeding Tube Label. Roll of 1,000. 12cm x 2.5cm
LAB-DRA100	Drugs Added Label. Pack of 100. 8cm x 4cm
LAB-G-FLUID	Fluid Type Labels, Green. Roll of 1,000. 6.2cm x 3.8cm
LAB-G-SYRI	Drug Detail Labels, Green . Roll of 1,000. 6.2cm x 3.8cm
LAB-FLUIDS	Fluids Signed Label, White. Roll of 1,000. 5cm x 3.8cm



Rainbow Trays



Colour-coded anaesthetic trays designed to aid in the reduction of medication errors in anaesthesia and improve patient safety.

Made from recyclable material the set includes all 3 standard Rainbow Trays, main general anaesthetic, emergency drug tray and local anaesthetics tray. Three insert trays provided for each tray type.

Code	Description
RTV9	Rainbow Trays—Vet Box

01491 527027

Syringe Labels

SL-O-ACEP	ACEPROMAZINE, Orange	SL-O-ACEP	ACEPROMAZINE, Orange
SL-S-ACEP	ACEPROMAZINE, Salmon	SL-S-ACEP	ACEPROMAZINE, Salmon
SL-O-ACP	ACP, Orange	SL-O-ACP	ACP, Orange
SL-Y-ACP	ACP, Yellow	SL-Y-ACP	ACP, Yellow
SL-G-ACPB	ACP/BUPRENORPHINE, Green	SL-G-ACPB	ACP/BUPRENORPHINE, Green
SL-G-ACBU	ACP/BUTORPHANOL, Green	SL-G-ACBU	ACP/BUTORPHANOL, Green
SL-W-ACMM	ACP/MEDETOMIDINE/METHADONE, White	SL-W-ACMM	ACP/MEDETOMIDINE/METHADONE, White
SL-G-ACPM	ACP/METHADONE, Green	SL-G-ACPM	ACP/METHADONE, Green
SL-S-ACPM	ACP/METHADONE, Salmon	SL-S-ACPM	ACP/METHADONE, Salmon
SL-V-ACPM	ACP/METHADONE, Violet	SL-V-ACPM	ACP/METHADONE, Violet
SL-Y-ACPT	ACP/TORBUGESIC, Yellow	SL-Y-ACPT	ACP/TORBUGESIC, Yellow
SL-Y-ACPV	ACP/VETERGESIC, Yellow	SL-Y-ACPV	ACP/VETERGESIC, Yellow
SL-R-ADRE	ADRENALINE, Red	SL-R-ADRE	ADRENALINE, Red
SL-V-ADRE	ADRENALINE, Violet	SL-V-ADRE	ADRENALINE, Violet
SL-R-ALFA	ALFAXAN, Red	SL-R-ALFA	ALFAXAN, Red
SL-Y-ALFA	ALFAXAN, Yellow	SL-Y-ALFA	ALFAXAN, Yellow
SL-B-ALFE	ALFENTANIL, Blue	SL-B-ALFE	ALFENTANIL, Blue
SL-Y-ALON	ALPHAXALONE, Yellow	SL-Y-ALON	ALPHAXALONE, Yellow
SL-W-AMOX	AMOXICILLIN, White	SL-W-AMOX	AMOXICILLIN, White
SL-WR-ANTIB	ANTIBIOTIC, White (Red Writing)	SL-WR-ANTIB	ANTIBIOTIC, White (Red Writing)
SL-W-ANTI	ANTIBIOTIC, White	SL-W-ANTI	ANTIBIOTIC, White
SL-O-ADAN	ANTISEDAN, Orange	SL-O-ADAN	ANTISEDAN, Orange
SL-WR-ADAN	ANTISEDAN, White (Red Writing)	SL-WR-ADAN	ANTISEDAN, White (Red Writing)
SL-WR-ARTE	ARTERIAL, White (Red Writing)	SL-WR-ARTE	ARTERIAL, White (Red Writing)
SL-W-ASPA	ASPARAGINASE, White	SL-W-ASPA	ASPARAGINASE, White
SL-OS-ATIP	ATIPAMEZOLE, Orange Strip	SL-OS-ATIP	ATIPAMEZOLE, Orange Strip
SL-S-ATIP	ATIPAMEZOLE, Salmon	SL-S-ATIP	ATIPAMEZOLE, Salmon
SL-W-ATIP	ATIPAMEZOLE, White	SL-W-ATIP	ATIPAMEZOLE, White
SL-WR-ATIP	ATIPAMEZOLE, White/Red Writing	SL-WR-ATIP	ATIPAMEZOLE, White/Red Writing
SL-P-ATRA	ATRACURIUM (KEEP IN FRIDGE) Pink	SL-P-ATRA	ATRACURIUM (KEEP IN FRIDGE) Pink
SL-BP-ATRA	ATRACURIUM (KEEP IN FRIDGE) B.Pink	SL-BP-ATRA	ATRACURIUM (KEEP IN FRIDGE) B.Pink
SL-R-ATRA	ATRACURIUM, Red	SL-R-ATRA	ATRACURIUM, Red
SL-G-ATRO	ATROPINE, Green	SL-G-ATRO	ATROPINE, Green
SL-W-AUGM	AUGMENTIN, White	SL-W-AUGM	AUGMENTIN, White
SL-Y-BEAD	BEADS, Yellow	SL-Y-BEAD	BEADS, Yellow
SL-B-BLAN	BLANK, Blue	SL-B-BLAN	BLANK, Blue
SL-G-BLAN	BLANK, Green	SL-G-BLAN	BLANK, Green
SL-O-BLAN	BLANK, Orange	SL-O-BLAN	BLANK, Orange
SL-R-BLAN	BLANK, Red	SL-R-BLAN	BLANK, Red
SL-V-BLAN	BLANK, Violet	SL-V-BLAN	BLANK, Violet
SL-W-BLAN	BLANK, White	SL-W-BLAN	BLANK, White
SL-Y-BLAN	BLANK, Yellow	SL-Y-BLAN	BLANK, Yellow
SL-W-BLEO	BLEOYCIN, White	SL-W-BLEO	BLEOYCIN, White
SL-G-BU25	BUPIVACAINE 0.25%, Grey	SL-G-BU25	BUPIVACAINE 0.25%, Grey

01491 527027

SL-G-BU50	BUPIVACAINE 0.5%, Grey	SL-Y-DISC	DISCARD, Yellow
SL-G-BUPI	BUPIVACAINE, Grey	SL-P-DONO	DO NOT FLUSH, Pink
SL-B-BUPR	BUPRENORPHINE, Blue	SL-V-DOBU	DOBUTAMINE, Violet
SL-W-BUSC	BUSCOPAN, White	SL-WR-DOMK	DOM/KET/TORB, White (Red Writing)
SL-S-BUDE	BUTORPH/DEXMED, Salmon	SL-WB-DOM	DOM/TORBUGESIC, White with Blue
SL-B-BUTO	BUTORPHANOL, Blue	SL-W-DOM	DOM/TORBUGESIC, White
SL-G-BUTO	BUTORPHANOL, Green	SL-V-DOPA	DOPAMINE, Violet
SL-V-CALC	CALCIUM GLUCONATE, Violet	SL-W-DOXA	DOXAPRAM, White
SL-R-CALC	CALCIUM, Red	SL-W-DOXO	DOXORUBICIN, White
SL-O-CAPR	CAPRIEVE, Orange	SL-G-DUPH	DUPH LA, Green
SL-W-CARB	CARBOPLATIN, White	SL-RS-EDRO	EDROPHONIUM, Red Stripe
SL-O-CARP	CARPROFEN, Orange	SL-V-EPHE	EPHEDRINE, Violet
SL-W-CARP	CARPROFEN, White	SL-O-EPID	EPIDURAL, Orange
SL-W-CEFU	CEFUROXIME, White	SL-W-EPIR	EPIRUBICIN, White
SL-WR-CEFU	CEFUROXIME. White (Red Writing)	SL-VS-ESMO	ESMOLOL, Violet Stripe
SL-G-CEPH	CEPHALEXIN, Green	SL-Y-ETOM	ETOMIDATE, Yellow
SL-S-CERE	CERENIA, Salmon	SL-RS-EUTH	EUTHANASIA, Red Stripe
SL-W-CHLO	CHLORPHENAMINE, White	SL-R-EXPI	EXPIRES, Red
SL-W-CISP	CISPLATIN, White	SL-B-FENT	FENTANYL, Blue
SL-W-CLIN	CLINDAMYCINE, White	SL-OS-FLUM	FLUMAZENIL, Orange Stripe
SL-W-COAM	CO-AMOXICLAV, White	SL-W-FLUO	FLUOROURACIL, White
SL-W-COTR	CO-TRIMOXAZOLE, White	SL-O-FORM	FORMAL SALINE, Orange
SL-W-COLL	COLLOID, White	SL-W-FRUS	FRUSEMIDE, White
SL-G-CONT	CONTRAST, Grey	SL-W-FURO	FUROSEMIDE, White
SL-R-CONT	CONTRAST, Red	SL-G-GADO	GADOTERIC, Green
SL-W-CONT	CONTRAST, White	SL-O-GAND	GANDOLINIUM, Orange
SL-W-CRYS	CRYSALLOID, White	SL-W-GLUC	GLUCOSE, White
SL-W-CYCL	CYCLOPHOSPHAMIDE, White	SL-Y-GLUE	GLUE, Yellow
SL-R-CYTA	CYTARABINE, Red	SL-G-GLYC	GLYCOPYRROLATE, Green
SL-W-CYTA	CYTARABINE, White		
SL-R-CYTO	CYTOTOXIC, Red	SL-RS-GLYC	GLYCOPYRROLATE/NEOSTIGMINE, Red
SL-YR-CYTO	CYTOTOXIC, Yellow (Red Writing)	SL-W-HALF	HALF STRENGTH, White
SL-W-DACT	DACTINOMYCIN, White	SL-W-HART	HARTMANN'S, White
SL-S-DETO	DETOMIDINE, Salmon	SL-P-HEPF	HEP FLUSH, Pink
SL-W-DEXA	DEXAMETHASONE, White	SL-W-HEPF	HEP FLUSH, White
SL-Y-DEXD	DEXDOMITOR, Yellow	SL-B-HEPA	HEPARI/ SALINE, Blue
SL-O-DEXM	DEXMEDETOMIDINE, Orange	SL-W-HEPA	HEPARI/ SALINE, White
SL-R-DEXM	DEXMEDETOMIDINE, Red	SL-W-HEPN	HEPARIN, White
SL-S-DEXM	DEXMEDETOMIDINE, Salmon	SL-W-HYAL	HYALURONIDASE, White
SL-OO-DEXM	DEXMEDETOMIDINE, White/Orange Type	SL-Y-HYPE	HYPERTONIC, Yellow
SL-W-DEX5	DEXTROSE 5%, White	SL-WR-JUGU	JUGULAR LINE. White (Red Writing)
SL-O-DIAM	DIAZEMULS, Orange	SL-Y-KETA	KETAMINE, Yellow
SL-O-DIAZ	DIAZEPAM, Orange	SL-R-LASP	L-ASPARAGINASE, Red
SL-G-DISC	DISCARD DATE, Green	SL-V-LEVE	LEVETIRACETAM, Violet
SL-R-DISC	DISCARD DATE, Red	SL-G-LEVO	LEVOBUPIVACAINE, Grey

01491 527027

SL-G-LIDO	LIDOCAINE, Grey	SL-O-NERV	NERVE BLOCK, Orange
SL-OS-LIGH	LIGHT SENSITIVE, Orange Stripe	SL-V-NORA	NORADRENALINE, Violet
SL-G-LIGN	LIGNOCAINE, Grey	SL-V-NORE	NOREPINEPHRINE, Violet
SL-G-LOCA	LOCAL, Grey	SL-R-OFFL	OFF LICENCE, Red
SL-W-MAGN	MAGNESIUM SULPHATE, White	SL-V-OMEP	OMEPRAZOLE, Violet
SL-W-MANN	MANNITOL, White	SL-W-OMEP	OMEPRAZOLE, White
SL-G-MARC	MARCAIN, Grey	SL-S-ONDA	ONDANSETRON, Salmon
SL-S-MARO	MAROPITANT, Salmon	SL-R-OPEN	OPENED (DATE....), Red
SL-W-MARO	MAROPITANT, White	SL-O-PARA	PARACETAMOL, Orange
SL-Y-MARO	MAROPITANT, Yellow	SL-W-PARA	PARACETAMOL, White
SL-W-MBKE	MED/BUT/KET, White	SL-RS-PENT	PENTOBARBITONE SODIUM, Red Stripe
SL-R-MEDE	MEDETOMIDINE, Red	SL-B-PETH	PETHIDINE, Blue
SL-S-MEDE	MEDETOMIDINE, Salmon	SL-G-PHEN	PHENOBARBITONE, Green
SL-OO-MEDE	MEDETOMIDINE, White with Orange Type	SL-V-PHEN	PHENYLEPHRINE, Violet
SL-W-MEDE	MEDETOMIDINE, White	SL-W-POTA	POTTASSIUM CHLORIDE, White
SL-W-MBUP	MEDETOMIDINE/BUPRENORPHINE, White	SL-O-PREM	PREMED, Orange
SL-W-MBUT	MEDETOMIDINE/BUTORPHANOL, White	SL-G-PROP	PROPOFOL PLUS, Green
SL-Y-MEDK	MEDETOMIDINE/KETAMINE, Yellow	SL-Y-PROP	PROPOFOL, Yellow
SL-W-MEME	MEDETOMIDINE/METHADONE, White	SL-W-RABA	RABACFOSADINE, White
SL-W-MEMK	MEDETOMIDINE/METHADONE/KETAMINE	SL-W-RANI	RANITIDINE, White
SL-O-MELO	MELOXICAM, Orange	SL-B-REMI	REMIFENTANIL, Blue
SL-V-MELO	MELOXICAM, Violet	SL-V-RIMA	RIMADYL, Violet
SL-W-MELO	MELOXICAM, White	SL-R-ROCU	ROCURONIUM, Red
SL-G-MEPI	MEPIVACAINE, Grey	SL-V-ROCU	ROCURONIUM, Violet
SL-V-MCAT	METACAM CAT, Violet	SL-S-ROMI	ROMIFIDINE, Salmon
SL-V-META	METACAM, Violet	SL-G-ROPI	ROPIVACAINE, Grey
SL-W-META	METACAM, White	SL-W-SALB	SALBUTAMOL, White
SL-V-METR	METARAMINOL, Violet	SL-W-SA09	SALINE 0.9%, White
SL-B-METH	METHADONE, Blue	SL-W-SALF	SALINE FLUSH, White
SL-S-METO	METOCLOPRAMIDE, Salmon	SL-W-SALI	SALINE, White
SL-W-METR	METRONIDAZOLE, White	SL-W-SS09	SALINE/SODIUM CHLORIDE, White
SL-O-MIDA	MIDAZOLAM, Orange	SL-W-SEDA	SEDATION, White
SL-S-MIDA	MIDAZOLAM, Salmon	SL-B-SEDC	SEDATOR/COMFORTAN, Blue
SL-W-MITO	MITOXANTRONE, White	SL-O-SHAK	SHAKE BEFORE USE, Orange
SL-R-MIVA	MIVACURIUM, Red	SL-G-SHOR	SHORT DATE, Green
SL-O-MORP	MORPHINE N P, Orange	SL-W-SODI	SODIUM BICARBONATE, White
SL-B-MORP	MORPHINE, Blue	SL-W-SO45	SODIUM CHLORIDE 0.45%, White
SL-R-MUSC	MUSCLE RELAXANT, Red	SL-W-SO09	SODIUM CHLORIDE 0.9%, White
SL-O-NSAI	N.S.A.I.D. Orange	SL-VS-SODI	SODIUM NITROPRUSSIDE, Violet Stripe
SL-WR-NSAI	N.S.A.I.D. White (Red Writing)	SL-W-SOLU	SOLUMEDRONE, White
SL-W-NSAI	N.S.A.I.D. White	SL-W-SYNO	SYNULOX, White
SL-W-NACL	NaCl 0.9%, White	SL-W-TRAN	TRANEXAMIC ACID, White
SL-BS-NALO	NALOXONE, Blue Strip	SL-W-VENO	VENOUS, White
SL-RS-NEOS	NEOSTIGMINE, Red Stripe	SL-B-VETE	VETERGESIC, Blue

SL-W-VETE	VETERGESIC, White
SL-R-VINB	VINBLASTINE, Red
SL-W-VINB	VINBLASTINE, White
SL-R-VINC	VINCRISTINE, Red
SL-W-VINC	VINCRISTINE, White
SL-W-VINO	VINORELBINE, White
SL-W-WFIN	WATER FOR INJECTION, White
SL-S-XYLA	XYLAZINE, Salmon
SL-W-ZINA	ZINACEF, White
SL-Y-ZINA	ZINACEF, Yellow
SL-W-ACPM	CP/MEDETOMIDINE, White
SL-W-ENRO	ENROFLOXACIN. White
SL-W-MARB	MARBOFLOXACIN. White
SL-O-ROBE	ROBENACOXIB. Orange
SL-R-5FU	5FU, Red

Can't find the label you need? There are more available from our supplier that aren't listed here, contact us via email on sales@acevetsupplies.co.uk or call us on 01491 527027 to discuss.



ACE Veterinary Supplies Limited
Dogmore End Lane
Checkendon
Oxfordshire
RG8 0TB

Tel: 01491 527 027
Email: sales@acevetsupplies.co.uk



AceVeterinarySupplies



Ace_Vet_Supplies